

BULLETIN



HELICONIA
SOCIETY
INTERNATIONAL

A Journal of the Zingiberales, including Cannaceae, Costaceae, Heliconiaceae, Lowiaceae, Marantaceae, Musaceae, Strelitziaceae, and Zingiberaceae

MARCH 2015

VOL. 21 NO. 1

HSI Headquarters
Dr. David H. Lorence
National Tropical Botanical Garden
3530 Papalina Road
Kalaheo, Hawaii 96741 USA

HSI Editors
Dr. Ken W. Leonhardt and Dr. Richard A. Criley
Department of Tropical Plant and Soil Sciences
University of Hawaii
Honolulu, Hawaii 96822 USA

INDEX TO HELICONIA SOCIETY INTERNATIONAL BULLETINS VOLUME 9 THROUGH 20

Richard Criley criley@hawaii.edu

The last index to HSI Bulletins covered the 10-year period 1985-1995, volumes 1 through 8, and appeared in July 1997 as issue 9(1/2). The current index is organized differently, with article titles categorized under general headings. There is a separate index for authors and another for photos of people who have appeared in the Bulletin for one reason or another. Many photographs have appeared in the Bulletin of gingers, heliconias, and other members of the Zingiberales order. These have been listed in a fourth index, identifying the pages where they appeared. This can be a valuable reference to what a species may look like.

Article Index

Awards

Achievement award to Dr. Helen Kennedy 17(3):3

Banana—See Musaceae

Bibliography, Books, Book Reviews

Heliconia (Heliconiaceae): A Bibliography 9(1/2):8-17
Genera Zingiberaceae 8(1):14
Going Bananas! 10(3):11
Cultivo, Cosecha y Poscosecha de Heliconias y Flores Tropicales 12(2):9-10
The Weeping Goldsmith: Discoveries in the Secret Land of Myanmar 16(1):15
Banana Breeding: Progress and Challenges (2011) 16(4):16
The World of Bananas in Hawai'i: Then and Now: 18(2):8
Post-harvest of flowers 19(4):15
The Ginger Garden 20(3):14

Botany

Curcuma -- Stunning beauty, hidden treasure 15(4):13-16
An illustrated guide to the wild Musa of China 16(3):5-16
Notes on Phenakospermum 8(1):12-13
The native gingers of Sabah 8(3/4):1-8

Review of the genera of Zingiberaceae of Southeast Asia 9(4):1-8
Gingers of hill and montane forests of peninsular Malaysia 9(4):10-13
Collection, documentation, and curation of Zingiberaceae 9(4):17-1
Musella lasiocarpa A Cinderella from China 10(1/2):1-2
Pollination of old world Heliconia 10(1/2):3-6
Smithianthus, a new genus of Zingiberaceae from Thailand 10(1/2):18-20
New to cultivation: the genus Cornukaempferia in Thailand with description of a second species 10(1/2):20-23
Three new species of Etlingera (Zingiberaceae) from Borneo 10(1/2):24-28
The genus Tapeinochilos from New Guinea: lifting the veil on the least known member of Costaceae 10(3):4-4-11
An unusual twist - leaf arrangement in the Zingiberales 10(3):11-13
A new species of Etlingera (Zingiberaceae) from peninsular Malaysia and southern Thailand 10(3):13-16
Endemic heliconias of the Atlantic rain forest Heliconia velloziana L. Em. 10(4):3-4
The relationship between Heliconia bihai and H. caribaea in the Lesser Antilles 10(4):8-10
The Heliconia checklist and register 12(3/4):1-36
Ornamental bananas - Focus on the section Rhodochlamys 12(2):1-7
Registration of H. 'Crocodile' and H. 'Johnson Beharry V.C.' 12(2):16
(Musaceae) varieties: Musa campestris Becc. In northern Borneo 12(2):1-9
Heliconia combinata 12(1):12-13
Intra- and Interspecific, and Intergeneric cross-pollination in the genera Curcuma and Smithatis 12(1):13-14
Genetic variations in seedlings from Heliconia 'Bubble Gum' and 'Prince of Darkness' 12(1):15-16
Registration of new Heliconia cultivars 13(1/2):5-7
Tapeinochilos: Out from the shadows and into the light! 13(1/2):8-12
A rare adventure in Hana, Hawaii: A Hapai ("pregnant" Mai'a Hapai ("pregnant banana")) 13(3/4):11-15
A three-stamened form of Zingiber zerumbet 14(1):10-11

Two recently published species of <i>Musa</i>	14(4):13-16	(<i>Etlingera elatior</i> Jack) R.M. Sm. X E.	
The rediscovery of <i>Globba arracanensis</i>		<i>hemisphaerica</i> ((Bl.) R.M. Sm.) selected	
(Zingiberaceae) in Myanmar	16(1):14-15	by the Instituto Agronomico (IAC) Brazil	9(2):11
<i>Hedychium longicornutum</i> -- a stunning epiphyte		The comparative reproductive biology of a tetraploid	
from Malaysia	16(2):1-2	species, <i>Hedychium villosum</i> , and its	
The <i>Plagiostachys</i> experience	16(2):3-4	diploid progenitor <i>H. tenuiflorum</i>	
A mystery ginger	16(2):9-10	(Zingiberaceae)	19(3):12-14
Root tuber anatomy of <i>Chamaecostus subsessilis</i>		New dwarf F1 <i>Canna</i> from seed	19(4):1-2
(Costaceae), a drought tolerant ground herb		Promising new <i>Curcuma</i> cut flower hybrids for	
from seasonal forests of central South		Australia	20(1):1-4
America	18(4):10-11		
<i>Heliconia</i> flowers (photo montage)	18(4):15	Cannaceae	
Neither bird nor palm	19(3):11-12	New dwarf F1 <i>Canna</i> from seed	19(4):1-2
The green giant: <i>Heliconia solomonensis</i>	20(1):6-7		
Things you find when you aren't looking	20(3):7	Conferences	
Pollination of old world <i>Heliconia</i>	10(1/2):3-6	HSI Conference 1996 announcement	8(2):1, 16
Revision of the genus <i>Haniffia</i> (Zingiberaceae)	10(4):4-6	Report on the 1996 HSI Conference	8(3/4):19-2
Some cold hardy <i>heliconias</i> for Southern California	12(2):8-9	Singapore in '98	9(3):1
The gingers of Sarawak I -- the giants	13(1/2):1-5	The 4th International Symposium on the family	
The gingers of Sarawak II -- the medium-sized		Zingiberaceae 3-6 July 2006	13(1/2):7-8
gingers	13(3/4):7-10	<i>Heliconia</i> Society International 2008 Conference	14(3):14-16
Study of the genetic diversity in 5 varieties of		XVI International Conference 2010 Singapore	15(2):9-13
<i>Heliconia</i> using RAPD markers	13(3/4):16	The Fifth International Symposium on the Family	
A few hybrid <i>Heliconia</i> in western Colombia	20(4):1	Zingiberaceae	15(1) insert
Breeding		The 5th International Symposium on the Family	
Pollination of old world <i>Heliconia</i>	10(1/2):3-6	Zingiberaceae	15(3):14-16
From rainforests to city florists: A breeding		16th Conference of the <i>Heliconia</i> Society	
strategy for cut-flower gingers	10(1/2):8-11	International, July 2010, Singapore	16(3):1-4
Intra- and Interspecific, and Intergeneric cross-		2012 Conference and tours: Panama and Colombia	17(3) insert
pollination in the genera <i>Curcuma</i> and		The fantastic 2012 HSI Conference	18(3):1-3
<i>Smithatris</i>	12(1):13-14	2014 HSI Conference and tours: Bali, Java, Jakarta,	
Genetic variations in seedlings from <i>Heliconia</i>		Bogor, Sulawesi	19(1):11-12
'Bubble Gum' and 'Prince of Darkness'	12(1):15-16	7th International Symposium on the Family	
Standardization of in vitro pollination and		Zingiberaceae 'Gingers for Life'	20(1):14
fertilization technique for <i>Heliconia</i>	14(2):1-3,11	HSI Bali Conference	20(1):15
More on seedling variation of <i>Heliconia caribaea</i>	15(1):8-9	Exotic Indonesia	20(3):1-3
Banana Breeding in Uganda	17(1):11-15	XVIII Biennial <i>Heliconia</i> Society international	
Banana breeding in Uganda: Part 2	17(2):11-16	conference in Bali, Indonesia	20(3):4-8
Natural hybridization in <i>Costus</i>	18(2):1-4	XVIII HSI Conference, Bali, Indonesia	20(3):8
<i>Alpinia</i> seedlings under evaluation at the		President's report. 2014 Board meeting, Bali, Indonesia	20(3):9
University of Hawaii	18(4):14		
IAC 'Cacheffo': A new cultivar of torch ginger		Conservation, Conservation Centers Reports	
		Status report for Zingiberales collection in Juron	

The Purpose of HSI

The purpose of HSI is to increase the enjoyment and understanding of *Heliconia* (Heliconiaceae) and related plants (in the families Cannaceae, Costaceae, Lowiaceae, Marantaceae, Musaceae, Strelitziaceae, and Zingiberaceae) of the order Zingiberales through education, research and communication. Interest in Zingiberales and information on the cultivation and botany of these plants is rapidly increasing. HSI will centralize this information and distribute it to members.

The **HELICONIA SOCIETY INTERNATIONAL**, a nonprofit corporation, was formed in 1985 because of rapidly developing interest around the world in these plants and their close relatives. We are composed of dues-paying members. Our officers and all participants are volunteers. Everyone is welcome to join and participate. HSI conducts a Biennial Meeting and International Conference.

Membership dues are (in \$US): Individual \$40, Family \$45, PDF \$25, Student \$10, Contributing \$50, Corporate \$100, Sus-

taining \$500, Lifetime Member \$1000. Membership fees constitute annual dues from 1 July through 30 June. All members receive the BULLETIN (usually published quarterly) and special announcements. Join or renew your membership at www.heliconia.org.

HSI Officers and Board of Directors for 2014-2016

Carla Black, President and Membership; David Lorence, Treasurer; Jan Hintze, Secretary, Membership and *Etlingera* Cultivar Registrar; Dave Skinner, Costaceae Cultivar Registrar and Conservation Centers; Colton Collins, Webmaster; Chelsea Specht, Student Grants; Bryan Brunner, *Heliconia* Cultivar Registrar; Sandra Barnes, Archivist; and Directors: W. John Kress, Vinita Gowda, Timothy Chapman, Carlos Castro and Annap Ongsakul.

The HSI BULLETIN is the quarterly publication of the HELICONIA SOCIETY INTERNATIONAL. Inquiries: Jan Hintze, admin@heliconia.org. Website: www.heliconia.org

Bird Park	8(3/4):9-10	Diseases	
Update on Zingiberales at Andromeda Botanic Garden	8(3/4):9-10	The wilt diseases of Heliconia	9(1/2):18-23
Report on Zingiberales collections at the National Tropical Botanical Garden, July 1996	8(3/4):9-10	Republic of Palau	9(4):15
Report on Zingiberales collections at the National Tropical Botanical Garden August 1997	9(3):5	Foliar and spike blight disease caused by <i>Collectotrichum gloeosporioides</i> on hybrid heliconia in Kerala, India	17(1):9-10
Zingiberales collections at the National Tropical Botanical Garden: 1998 Report	9(4):8-9	Challenges ahead for banana	16(1):7-11
The Zingiberales collection at Noong Nooch Tropical Garden	10(4):1-3	Insect pests and diseases of Pathumma	20(2):4-5
Zingiberales collections at the National Tropical Botanical Garden: 2000-2001 report	10(4):6-7	Control of anthracnose caused by <i>Colletotrichum musae</i> on <i>Curcuma alismatifolia</i> Gagnep. using antagonistic <i>Bacillus</i> spp.	20(2):14
Wilson Botanical Garden: A conservation center of HSI	15(3):1-3	Ecology	
Conservation centers of the Heliconia Society International	16(2):12-15	Pollination of old world Heliconia	10(1/2):3-6
Conservation centers of the Heliconia Society International: Report for 2012	18(3):6-9	The relationship between Heliconia bihai and <i>H. caribaea</i> in the Lesser Antilles	10(4):8-10
Role of the Heliconia Society in conservation	20(4):12-13	Aquatic invertebrates associated with Heliconia caribaea from Saba	14(3):11-13
Culture		Nectar characteristics of two eastern Caribbean heliconias (Heliconia: Heliconiaceae)	14(4):6-10
Culture profile -- Heliconia psittacorum	8(1):9-11	The effect of hummingbird flower mites on nectar availability of two sympatric Heliconia species in a Brazilian Atlantic forest.	15(1):13-16
Cardamon as cut foliage with a new production technology	8(2):1-3	New island, new interactions: Geographic variations in the Eastern Caribbean Heliconia-hummingbird interactions	19(1):5-8
Propagation of Zingiberaceae and Heliconiaceae	8(2):3-6	Economics, Marketing	
Techniques of cultivation in the ornamental Zingiberaceae	8(2):7-11	Caribbean export industry for heliconias -- problems and prospects	8(1):5-9
Fertilization rates affects production and postharvest quality of <i>Tapeinochilus ananassae</i> flowers	8(3/4):15-17	Zingiberales for export and local use -- Barbados	8(3/4):10-13
Method of application affects effectiveness of cytokinin in inducing bud break on heliconia rhizomes	8(3/4):22	The commercial market for gingers in the United States	9(3):1-4
Rhizome care	8(3/4):22	Seasonal flowering production among Zingiberales -- Some examples from a commercial cut flower grower in Hawaii	10(4):10-13
Heliconias in the landscape	8(3/4):24	Market potential of Torch Ginger and Beehive Ginger	17(3):5-9
Growing heliconias in the subtropics	9(3):8-9	Market potential of torch ginger and beehive ginger, part 2	17(4):1-4
From rainforests to city florists: A breeding strategy for cut-flower gingers	10(1/2):8-11	Curcuma for the cut flower market	19(1):13-15
In search of the everlasting torch	10(1/2):16-18	History of marketing Heliconia in Antioquia, Colombia	19(2):8-10
Productivity of three Heliconia hybrids	10(3):1-3	Alpinia - production and marketing	19(3):5-10
Control of vegetative growth and flowers in white ginger <i>Hedychium coronarium</i> Koenig.	10(4):7-8	Heliconias and gingers: Malaysia's new flower entity	20(2):1-4
The genus <i>Tapeinochilos</i> from New Guinea: lifting the veil on the least known member of Costaceae	10(3):4-11	Ethnobotany	
An ornamental banana in Finland	11(1):12	Interesting use of <i>Calathea standleyi</i> Macbride (Marantaceae)	11(1):1-2
Some cold hardy heliconias for Southern California	12(2):8-9	Central Thailand ginger food	12(2):12-13
Ultimate container growing. Bananas indoors in northern climates	14(1):12-15	Ginger for Thai cooking	12(1):11-12
Ultimate container growing. Bananas indoors in northern climates	14(2):8-12	A rare adventure in Hana, Hawaii: A Hapai ("pregnant" Mai'a Hapai ("pregnant banana"))	13(3/4):11-15
Advice from the experts	15(2):6	Eating Heliconia mariae in Panama	14(1):1
Heliconias as cut flowers	15(3):10-11	Curcuma longa: Passing on traditional Kosraean knowledge (with a note on banana soup).	15(2):14-16
Challenges ahead for banana	16(1):7-11	Culinary applications of torch ginger, <i>Etlingera elatior</i>	15(3):11-13
After conservation and identification -- then comes cultivation	16(4):9-11	Event	
Heliconia: Rhizome propagation, shooting and clump area	18(1):1-5	Gingerfest at FTBG	12(1):9-10
Height control for potted heliconia	19(1):8-1	Explorations	
Alpinia - production and marketing	19(3):5-10	An African Adventure	9(1/2):1-4
Curcuma fact sheet	20(1):5-6	Collection, documentation, and curation of Zingiberaceae	9(4):17-19
Heliconia nutrition	20(1):8-11	In search of the everlasting torch	10(1/2):16-18
Growing heliconia for cut flowers in Holland in greenhouses	20(4):2-5	Endemic heliconias of the Atlantic rain forest	
Evaluation of Costaceae species for ornamental use	20(4):5-10	Heliconia velloziana L. Em.	10(4):3-4

A few weeks in Panama: from H. barryana to H. tacarcuna	12(2):13-16	The gingers of Sarawak III -- the miniatures	14(1):7-10
The Dolmetsch Arboretum: A Noah's Arc in the high Andes	12(1):12	A three-stamened form of Zingiber zerumbet	14(1):10-11
The gingers of Sarawak I -- the giants	13(1/2):1-5	Propagation methods of Cheilocostus speciosus (J. Koenig) C.D. Specht	14(3):10
Peruvian Amazon Heliconia expedition	13(1/2):13-16	Costus of the Golfo Dulce region	14(4):1-6
Journey to the Amazon	13(3/4):1-6	The Fifth International Symposium on the Family Zingiberaceae	15(1) insert
The gingers of Sarawak II -- the medium-sized gingers	13(3/4):7-10	The Ginger Garden	20(3):14
Alpinia purpurata 'Alba' the story of a snow-blink white 'Red Ginger'	14(1):2-3	In search of the everlasting torch	10(1/2):16-18
Panama	14(1):4-6	Smithianthus, a new genus of Zingiberaceae from Thailand	10(1/2):18-20
The gingers of Sarawak III -- the miniatures	14(1):7-10	Three new species of Etlingera (Zingiberaceae) from Borneo	10(1/2):24-28
Costa Rica	14(2):4-7	Curcuma -- Stunning beauty, hidden treasure	15(4):13-16
Hunting Heliconia bella	14(2):13-16	The genus Plagiostachys	16(1):12
A botanical expedition researching wild bananas of Borneo	14(3):1-9	More Plagiostachys at Lyon Arboretum	16(1):13
Aquatic invertebrates associated with Heliconia caribaea from Saba	14(3):11-13	The rediscovery of Globba arracanensis (Zingiberaceae) in Myanmar	16(1):14-15
Heliconia Society International 2008 Conference	14(3):14-16	Hedychium longicornutum -- a stunning epiphyte from Malaysia	16(2):1-2
Costus of the Golfo Dulce region	14(4):1-6	A mystery ginger	16(2):9-10
Land of the Incas	14(4):10-12	Post conference tour to Sarawak, Malaysia	16(4):1-5
Amazonia	15(1):1-3	Response of Etlingera corneri and Zingiber spectabile to photoperiod	17(3):1-3
XVI International Conference 2010 Singapore	15(2):9-13	Market potential of Torch Ginger and Beehive Ginger	17(3):5-9
How I became acquainted with Xishuangbanna, China	15(2):16	Natural hybridization in Costus	18(2):1-4
Variations in Heliconia atropurpurea	15(2):8	Chamaecostus of Cristalino	18(4):6-9
Expedition to China, part 2	15(3):4-9	Root tuber anatomy of Chamaecostus subsessilis (Costaceae), a drought tolerant ground herb from seasonal forests of central South America	18(4):10-11
A third botanical expedition to China	15(4):1-8	New? New? Newmania...the ginger surprise from Vietnam	18(4):12-13
A trip to Ecuador	16(1):1-6	Alpinia seedlings under evaluation at the University of Hawaii	18(4):14
The rediscovery of Globba arracanensis (Zingiberaceae) in Myanmar	16(1):14-15	Curcuma for the cut flower market	19(1):13-15
The Weeping Goldsmith: Discoveries in the Secret Land of Myanmar	16(1):15	A primer on the genus Boesenbergia (Zingiberaceae)	19(2):1-8
The Plagiostachys experience	16(2):3-4	IAC Cacheffo': A new cultivar of torch ginger (Etlingera elatior Jack) R.M. Sm. X E. hemisphaerica ((Bl.) R.M. Sm.) selected by the Instituto Agronomico (IAC) Brazil	19(2):11
Bivouacking on Cerro Pirre	16(2):5-8	Alpinia - production and marketing	19(3):5-10
16th Conference of the Heliconia Society International, July 2010, Singapore	16(3):1-4	The comparative reproductive biology of a tetraploid species, Hedychium villosum, and its diploid progenitor H. tenuiflorum (Zingiberaceae)	19(3):12-14
Post conference tour to Sarawak, Malaysia	16(4):1-5	The Etlingera cultivar registry	19(4):3-4
An illustrated expedition to Vietnam	16(4):12-15	The Costaceae cultivar registry	19(4):5-9
Panama	17(1):1-5	Systematics and evolution of Costaceae's South American clade: Dimerocostus Kuntze, Monocostus K. Schum. and Chamaecostus C. Specht and D. W. Stev	19(4):10-13
Destination: Panama and Colombia! -- 17-19 July 2012	17(1):5-9	Promising new Curcuma cut flower hybrids for Australia	20(1):1-4
Colombia: the Anchicaya Valley	17(3):10-13	Curcuma fact sheet	20(1):5-6
Island explorations and evolutionary investigations	17(4):7-10	New Etlingera cultivar registration	20(1):11
Bananas of the Solomon Islands	18(1):9-13	The Costaceae cultivar registry	20(1):12-13
Exploring the Pacific watershed of central Colombia	18(2):13-15	7th International Symposium on the Family Zingiberaceae 'Gingers for Life'	20(1):14
Collecting in the future	18(3):4-6	Heliconias and gingers: Malaysia's new flower entity	20(2):1-4
Colombia revisited	18(3):9-15	Insect pests and diseases of Pathumma	20(2):4-5
Explorations in Darien, Panama 2013	19(3):1-4	Costaceae cultivar registry	20(2):13-14
A few hybrid Heliconia in western Colombia	20(4):1	Control of anthracnose caused by Colletotrichum musae on Curcuma alismatifolia Gagnep. using antagonistic Bacillus spp.	20(2):14
Gingers (Costaceae, Zingiberaceae)		Link to Lyon Arboretum Zingiberales photos	20(2):14
Cardamon as cut foliage with a new production technology	8(2):1-3		
Techniques of cultivation in the ornamental Zingiberaceae	8(2):7-11		
The native gingers of Sabah	8(3/4):1-8		
From rainforests to city florists: A breeding strategy for cut-flower gingers	10(1/2):8-11		
A new species of Etlingera (Zingiberaceae) from peninsular Malaysia and southern Thailand	10(3):13-16		
Tapeinochilos: Out from the shadows and into the light!	13(1/2):8-12		
Alpinia purpurata 'Alba' the story of a snow-blink white 'Red Ginger'	14(1):2-3		

Heliconia (Heliconiaceae)

Shoot development and flowering of Heliconia 'Golden Torch'	8(1):1-4
Culture profile -- Heliconia psittacorum	8(1):9-11
Rhizome care	8(3/4):22
Heliconias in the landscape	8(3/4):24
Growing heliconias in the subtropics	9(3):8-9
Some cold hardy heliconias for Southern California	12(2):8-9
Peruvian Amazon Heliconia expedition	13(1/2):13-16
Eating Heliconia mariae in Panama	14(1):1
Panama	14(1):4-6
Nectar characteristics of two eastern Caribbean heliconias (Heliconia: Heliconiaceae)	14(4):6-10
Control of the occurrence of mechanical damage to floral spikes of Heliconia bihai 'Lobster Claw I' (Heliconiaceae)	15(1):4-7
More on seedling variation of Heliconia caribaea	15(1):8-9
Heliconias as cut flowers	15(3):10-11
Heliconia cut flower production -- a 2 year study in Hawaii	15(4):9-12
A trip to Ecuador	16(1):1-6
Bivouacking on Cerro Pirre	16(2):5-8
After conservation and identification -- then comes cultivation	16(4):9-11
Foliar and spike blight disease caused by Collectotrichum gloeosporioides on hybrid heliconia in Kerala, India	17(1):9-10
Heliconia robusta	17(3):4
Colombia: the Anchicaya Valley	17(3):10-13
Island explorations and evolutionary investigations	17(4):7-10
The ornamental attributes of Heliconia for landscape design in Brazil	17(2):1-6
Exploring the Pacific watershed of central Colombia	18(2):13-15
Heliconia: Rhizome propagation, shooting and clump area	18(1):1-5
Collecting in the future	18(3):4-6
Conservation centers of the Heliconia Society International: Report for 2012	18(3):6-9
Colombia revisited	18(3):9-15
Heliconia agronomic characteristics for use as cut flowers and ornamental plants: Research developed in Pernambuco, northeast part of Brazil	18(4):1-5
Registration of H. 'Lizanne's Fan'	18(4):14
Heliconia flowers (photo montage)	18(4):15
A more just positioning of Suriname in the heliconia world	19(1):1-4
Heliconia Society cultivar registration	19(4):3
Harvesting and handling of Heliconias: At what stage to harvest	19(4):13-15
Post-harvest of flowers	19(4):15
The green giant: Heliconia solomonensis	20(1):6-7
Heliconia nutrition	20(1):8-11
Growing heliconia for cut flowers in Holland in greenhouses	20(4):2-5
Chilling injury symptoms in species of Heliconia	20(4):14

Heliconia Society International

The Heliconia Society of Puerto Rico	8(3/4):21
Welcome to the new president (Mark Collins)	9(4):15
11th Heliconia Society International conference announcement	10(1/2):7
2002 Heliconia Society International Conference announcement	10(4):14-16
Heliconia Society International conference announcement	12(3/4):37

The Puerto Rico conference	12(1):10-11
The 4th International Symposium on the family Zingiberaceae 3-6 July 2006	13(1/2):7-8
The 14th HSI conference in Darwin, Australia, 26-28 June 2006	13(1/2):12-13
HSI student research grants funded during 2005 to 2007	14(1):15-16
Heliconia Society International 2008 Conference	14(3):14-16
XVI International Conference 2010 Singapore	15(2):9-13
HSI lifetime achievement award	16(4):8
Conservation centers of the Heliconia Society International	16(2):12-15
2012 Conference and tours: Panama and Colombia	17(3): insert
Come to Panama for the XVII Conference of HSI	18(1):6-7
Heliconia Society International XVII International Conference 2012	18(1):16
The fantastic 2012 H S I Conference	18(3):1-3
HSI membership geography	18(4):16
2014 HSI Conference and tours: Bali, Java, Jakarta, Bogor, Sulawesi	19(1):11-12
HSI Bali Conference	20(1):15
XVIII Biennial Heliconia Society international conference in Bali, Indonesia	20(3):4-8
XVII H S I Conference, Bali, Indonesia	20(3):8
President's report. 2014 Board meeting, Bali, Indonesia	20(3):9
HSI member profile; Tim Chapman	20(3):9
HSI's new website	20(3):10-13
An original heliconia society initiative in 1983, not '85! Plus some early field-collecting thoughts	20(4):11
Role of the Heliconia Society in conservation	20(4):12-13
HSI member profile: Richard Criley	20(4):13, 15

History

A more just positioning of Suriname in the heliconia world	19(1):1—4
An original heliconia society initiative in 1983, not '85! Plus some early field-collecting thoughts	20(4):11

Insects

Pink alert: Hibiscus mealybug threatens Heliconia and other ornamentals in the Caribbean	8(1)15-16
Facts on mealybugs in Grenada	8(3/4):14-15
Aquatic invertebrates associated with Heliconia caribaea from Saba	14(3):11-13
The effect of hummingbird flower mites on nectar availability of two sympatric Heliconia species in a Brazilian Atlantic forest.	15(1):13-16
Insect pests and diseases of Pathumma	20(2):4-5

Letters

Genetic resources in Bolivia	9(4):13
Republic of Palau	9(4):15
An appeal for photos for a new popular book on the Zingiberales	14(3):14

Lowiaceae

Lowiaceae: Adorable stinkadores!	17(2):7-8
----------------------------------	-----------

Marantaceae

Three new distichous-bracted species of Calathea (Marantaceae) from Panama	17(4):5-7
Things you find when you aren't looking	20(3):7

Musaceae: Banana (Musa)

A rare adventure in Hana, Hawaii: A Hapai ("pregnant" Mai'a Hapai ("pregnant banana"))	13(3/4):11-15
Ultimate container growing. Bananas indoors in northern climates	14(1):12-15

A botanical expedition researching wild bananas of Borneo	14(3):1-9
Two recently published species of <i>Musa</i>	14(4):13-16
How I became acquainted with Xishuangbanna, China	15(2):16
<i>Curcuma longa</i> : Passing on traditional Kosraean knowledge (with a note on banana soup)	15(2):14-16
Expedition to China, part 2	15(3):4-9
A third botanical expedition to China	15(4):1-8
An illustrated expedition to Vietnam	16(4):12-15
Banana Breeding in Uganda	17(1):11-15
<i>Ensete lasiocarpum</i> --The end of the monotypic banana genus <i>Musella</i>	17(3):13-14,16
A new variety of <i>Musella lasiocarpa</i>	17(4):16
Banana breeding in Uganda: Part 2	17(2):11-16
Bananas of the Solomon Islands	18(1):9-13
The World of Bananas in Hawai'i: Then and Now:	18(2):8
Challenges ahead for banana	16(1):7-11
Going Bananas!	10(3):11
The World of Bananas in Hawai'i: Then and Now:	18(2):8

Obituaries

Hamilton Manley	16(1):11
In Memoriam - Boyo Ramsaroop	16(2):16
Remembering - Ray Baker (1945-2010)	16(4):6-7
Remembering - Trish Frank	16(4):7
Remembering -- Keith Woolliams	18(1):14
Remembering -- Henry M. Donselman	18(1):15
Remembering - Mark L. Collins (1963-2011)	17(1):16
In passing ...Hiroshi Tagami	20(3):14

Physiology

<i>Heliconia wagneriana</i> is a short-day plant	9(3):6-7
Effects of natural and simulated short-day on flowering of <i>Heliconia rostrata</i> Ruiz and Pavon	10(1/2):12-16
Hot Rio Nights in Hawaii	11(1):9-11

Post-Harvest

Postharvest care for Bird of Paradise	9(4):15
Control of the occurrence of mechanical damage to floral spikes of <i>Heliconia bihai</i> 'Lobster Claw I' (<i>Heliconiaceae</i>)	15(1):4-7
Harvesting and handling of <i>Heliconias</i> : At what stage to harvest	19(4):13-15
Post-harvest of flowers	19(4):15
Chilling injury symptoms in species of <i>Heliconia</i>	20(4):14

Propagation, Micropropagation

Propagation of <i>Zingiberaceae</i> and <i>Heliconiaceae</i>	8(2):3-6
Somatic embryogenesis in <i>Heliconia stricta</i>	9(4):14
<i>Heliconia</i> tissue culture	9(4):16-17
Observations on the germination of <i>Heliconia</i> seeds and their practical applications	12(1):15
Ultimate container growing. Bananas indoors in northern climates	14(2):8-12
Propagation methods of <i>Cheilocostus speciosus</i> (J. Koenig) C.D. Specht	14(3):10
The magic of seeds -- Believe in miracles	15(2):7
Enhancement of propagation efficiency in exotic varieties of <i>Heliconia</i>	15(3):14
<i>Heliconia</i> : Rhizome propagation, shooting and clump area	18(1):1-5
Micropropagation in the gingers (a series of abstracts)	20(2):6-13

Registration of cultivars

The <i>Heliconia</i> checklist and register	12(3/4):1-36
Registration of H. 'Crocodile' and H. 'Johnson Beharry V.C.'	12(2):16
Registration of new <i>Heliconia</i> cultivars	13(1/2):5-7
Registration of H. 'Puerto Rico Libre'	13(1/2):7
Registration of H. 'Lucille Gibson'	13(3/4):16
<i>Heliconia bihai</i> 'Yuen-Peng McNeice'	14(3):9
Registration of H. 'Lizanne's Fan'	18(4):14
<i>Heliconia</i> Society cultivar registration	19(4):3
The <i>Etlingera</i> cultivar registry	19(4):3-4
The <i>Costaceae</i> cultivar registry	19(4):5-9
New <i>Etlingera</i> cultivar registration	20(1):11
The <i>Costaceae</i> cultivar registry	20(1):12-13
<i>Costaceae</i> cultivar registry	20(2):13-14

Research

Shoot development and flowering of <i>Heliconia</i> 'Golden Torch'	8(1):1-4
<i>Heliconia wagneriana</i> is a short-day plant	9(3):6-7
From rainforests to city florists: A breeding strategy for cut-flower gingers	10(1/2):8-11
Effects of natural and simulated short-day on flowering of <i>Heliconia rostrata</i> Ruiz and Pavon	10(1/2):12-16
Productivity of three <i>Heliconia</i> hybrids	10(3):1-3
Control of vegetative growth and flowers in white ginger <i>Hedychium coronarium</i> Koenig.	10(4):7-8
Seasonal flowering production among <i>Zingiberales</i> -- Some examples from a commercial cut flower grower in Hawaii	10(4):10-13
Hot Rio Nights in Hawaii	11(1):9-11
That twisted <i>Heliconia x rauliniana</i>	12(2):10-12
Study of the genetic diversity in 5 varieties of <i>Heliconia</i> using RAPD markers	13(3/4):16
HSI student research grants funded during 2005 to 2007	14(1):15-16
Standardization of in vitro pollination and fertilization technique for <i>Heliconia</i>	14(2):1-3,11
Control of the occurrence of mechanical damage to floral spikes of <i>Heliconia bihai</i> 'Lobster Claw I' (<i>Heliconiaceae</i>)	15(1):4-7
<i>Heliconia</i> cut flower production -- a 2 year study in Hawaii	15(4):9-12
The ornamental attributes of <i>Heliconia</i> for landscape design in Brazil	17(2):1-6
<i>Heliconia</i> : Rhizome propagation, shooting and clump area	18(1):1-5
Evaluation of plant and flower characteristics of Bird-of-Paradise (<i>Strelitzia reginae</i>) in Hawaii	18(2):9-12
<i>Heliconia</i> agronomic characteristics for use as cut flowers and ornamental plants: Research developed in Pernambuco, northeast part of Brazil	18(4):1-5
New island, new interactions: Geographic variations in the Eastern Caribbean <i>Heliconia</i> -hummingbird interactions	19(1):5-8
Height control for potted <i>heliconia</i>	19(1):8-1
Evaluation of <i>Costaceae</i> species for ornamental use	20(4):5-10

Strelitziaceae

Notes on <i>Phenakospermum</i>	8(1):12-13
Evaluation of plant and flower characteristics of Bird-of-Paradise (<i>Strelitzia reginae</i>) in Hawaii	18(2):9-12
Neither bird nor palm	19(3):11-12

Taxonomy

- Phylogenetic relationships of the genera of the family Costaceae 9(1/2):5-7
- Smithianthus, a new genus of Zingiberaceae from Thailand 10(1/2):18-20
- New to cultivation: the genus Cornukaempferia in Thailand with description of a second Species 10(1/2):20-23
- Revision of the genus Haniffia (Zingiberaceae) 10(4):4-6
- The relationship between Heliconia bihai and H. caribaea in the Lesser Antilles 10(4):8-10
- A new classification of the gingers (Zingiberaceae) based on DNA evidence 11(1):3-9
- Ornamental bananas - Focus on the section Rhodochlamys 12(2):1-7
- The genus Plagiostachys 16(1):12
- More Plagiostachys at Lyon Arboretum 16(1):13
- A mystery ginger 16(2):9-10
- Ensete lasiocarpum--The end of the monotypic bananagenus Musella 17(3):13-14,16
- Three new distichous-bracted species of Calathea (Marantaceae) from Panama 17(4):5-7
- A new variety of Musella lasiocarpa 17(4):16
- Lowiaceae: Adorable stinkadores! 17(2):7-8
- Chamaecostus of Cristalino 18(4):6-9
- New? New? Newmania...the ginger surprise from Vietnam 18(4):12-13.
- A primer on the genus Boesenbergia (Zingiberaceae) 19(2):1-8
- Systematics and evolution of Costaceae's South American clade: Dimerocostus Kuntze, Monocostus K. Schum. and Chamaecostus C. Specht and D.W. Stev 19(4):10-13

Author Index

- Abul Hassan, Md. 14(3):10
- Agboka, D. 10(4):7-8
- Ambrosano, G.M.B. 15(1):4-7
- Andre, Thiago 19(4):10-13
- Anuntalabhochai, S. 20(2):14
- Arcelino, E.C. 20(4):14
- Arunan, D. 14(1):15-16
- Atehortua, L. 9(4):14,9(4):15,9(4):16-17
- Atehortua, L. 9(4):15
- Atehortua, L. 9(4):16-17
- Baker, R. 13(1/2):7-8, 13(1/2):12-13, 14(1):10-11, 15(3):14-16, 16(1):13
- Barnes, S. 9(1/2):8-17, 16(2):16
- Barros, V. M. 12(2):8-9
- Bar-Zvi, D. 8(3/4):19-21, 9(3):10, 10(1/2):1-2, 12(1):9-10,
- Bass, C. 14(3):11-13
- Bass, D. 14(3):11-13
- Benedito, Michael 18(4):15
- Bezerra, M. 17(2):1-6
- Black, C. 12(2):13-16, 14(1):1, 14(2):13-16, 14(3):14-16, 15(2):8, 15(3):1-3, 16(2):5-8, 16(3):1-4, 16(4):1-5, 17(1):5-9, 17(3):insert, 20(30):9
- Bordelon, M. 16(1):14-15
- Boyce, P. 13(1/2):1-5
- Boyce, P. 13(3/4):7-10, 13(3/4):7-10, 13(3/4):7-10
- Brooking, I. 8(1):1-4
- Broschat, T. K. 8(3/4):15-17

- Brunner, B. R. 12(3/4):1-36, 12(2):16, 12(3/4):1-36, 13(1/2):5-7, 13(1/2):7, 13(3/4):1-6, 13(3/4):16
- Buddenhagen, I. W. 9(1/2):18-23
- Burch, D. 9(3):1-4
- Calandrelli, L.L. 19(2):11
- Calonje, A. 12(1):12
- Caratini, H.M. 14(4):10-12
- Caratini, H.M. 15(1):1-3, 15(1):1-3, 15(2):7, 20(3):1-3
- Carle, A.W. 9(1/2):1-4
- Carmona, A. 9(4):16-17
- Carrales, M. 9(4):16-17
- Carrasquilla, L. 13(3/4):16
- Castrellon, Y. 13(3/4):16, 14(1):15-16
- Castro, A.C.R. 18(1):1-5, 18(1):1-5, 20(4):5-10
- Castro, C.E.F. 19(2):11, 20(4):5-10
- Castro, M.F.A. 17(2):1-6
- Catley, J. 8(1):1-4
- Cecilio, M. P. 11(1):1-2
- Chandler, J. 10(4):8-10
- Chandler, J. St. A. 8(3/4):9-10, 8(3/4):10-11, 10(4):8-10
- Chantrasri, P. 20(2):4-5
- Chapin, M. 9(3):5
- Charanarsri, U. 12(1):13-14
- Collins, Colton 18(3):4-6, 20(3):10-13
- Costa, A.S. da 17(4):1-4, 17(4):1-4, 17(2):1-6, 18(1):1-5, 20(4):14
- Costa, M. A. P. de C. 20(4):5-10
- Criley, R. A. 8(1):9-11, 8(2):3-6, 8(3/4):22, 9(3):6-7, 10(1/2):12-16, 10(1/2):12-16, 10(3):1-3, 10(4):7-8, 10(4):10-13, 11(1):9-11, 12(2):10-12, 15(4):8-12, 17(3):1-3, 18(2):8, 18(2):9-12, 19(1):8-11, 19(4):15, 20(1):8-11, 20(2):6-13, 20(3):8, 20(3):14
- Cruz, D.D. 15(1):13-16
- Cutler, R. W. 20(2):14
- Dhanya, A. 14(2):1-3,11
- Donovan, A. 8(3/4):22
- Donovan, J. 8(3/4):22
- Dowd, David 19(1):11-2
- Dunstan, Bruce 17(1):1-5, 17(3):4, 17(3):10-13, 16(1):1-6, 9(3):8-9, 18(2):13-15, 18(3):9-15, 19(3):1-4, 20(4):1
- Fatima, M. 15(1):4-7
- Ferrero, M. D. 10(3):4-11, 13(1/2):8-12
- Filrang, R. 15(2):14-16
- Fischer, B. 12(2):9-10
- Frowine, S. 14(3):14
- Fu, Z. 10(3):1-3
- Gao, J.Y. 19(3):12-14
- Gil, U. 9(4):16-17
- Golda, S.B. 17(1):9-10
- Gomes, R. J. 20(4):14
- Gonsalves, C. 19(2):11, 20(4):5-10
- Govda, Vinita 14(4):6-10, 17(4):7-10, 19(1):5-8
- Guimarães, W.N.R. 17(2):1-6, 17(4):1-4, 17(4):1-4, 18(1):1-5
- Guttman, E. 8(3/4):21
- Haketa, T. 19(4):1-2
- Häkkinen, Markku 11(1):12, 12(2):1-7, 12(1):1-9, 14(1):12-15, 14(2):8-12, 14(3):1-9, 14(4):13-16, 15(2):1-6, 15(3):4-9, 15(4):1-8, 16(1):7-11, 16(4):12-15
- Herlina, D. 19(4):13-15
- Hermelijn, L.H. 14(1):2-3, 19(1):1-4
- Hermelijn, Y. 19(1):1-4
- Hintze, H. O. 10(1/2):16-18
- Hintze, Jan L. 10(1/2):16-18, 15(3):10-11, 16(4):9-11, 16(4):9-11, 18(3):1-3, 19(4):3, 20(1):11, 20(3):7

Hoult, M. D.	10(1/2):8-11	Rogers, G	10(4):8-10
Ibrahim, H.	10(1/2):24-28, 10(1/2):24-28, 10(3):13-16	Sachter-Smith, G.	17(1):11-15, 17(2):11-16, 18(1):9-13
Iversen, R. R.	8(3/4):9-10	Sakai, W.S.	9(3):6-7
Jaramillo, M. A.	9(1/2):7-9	Sanguansermisri, M.	20(2):14
Jerome, R.	12(1):15-16, 13(1/2):13-16, 13(1/2):13-16, 14(1):4-6, 14(2):4-7, 15(1):8-9, 15(2):6	Santhakuman, P.	17(1):9-10
Kennedy, H.	17(4):5-7, 10(3):11-13	Sardsud, V.	20(2):14
Kepler, A. K.	13(3/4):11-15	Schrage, R.	8(2):1-3
Kress, W. John	9(1/2):7-9, 10(1/2):3-6, 11(1):3-9, 14(4):6-10, 16(1):14-15, 20(4):11	Sergeant, G.	10(4):8-10
Kudreckny, J.	9(4):13	Sheela, V. L.	14(2):1-3, 11, 15(3):14
Lager, L.A.	18(4):10-11	Silva, B. R.	10(4):3-4
Larsen, K.	10(1/2):18-20, 10(4):4-6, 10(1/2):20-23	Silva, I.V.	18(4):10-11
Leach, J.	8(3/4):9-10	Skinner, D.	17(4):11-14
Lee, C.	15(2):9-13	Skinner, D.	14(4):1-6, 17(4):11-14, 18(2):1-4, 18(4):6-9, 19(4):3, 19(4):5-9, 20(1):12-13, 20(2):13-14
Lee, V.	8(3/4):9-10, 15(2):9-13	Specht, Chelsea	19(4):10-13
Leite, K.P.	18(1):1-5, 20(4):14	Stokes, Glenn	8(3/4):24, 10(3):11, 20(3):4-6
Lekawatana, S.	19(1):8-11	Su, R.	14(3):9
Leong-Skornickova, J.	15(4):13-16, 16(1):12, 16(2):1-2, 17(3):13-14, 16, 17(2):7-8, 18(4):12-13, 19(3):12-12	Sulistya, E.D.	19(4):13-15
Leonhardt, K.	18(4):14	Sultana, N.	14(3):10
Letman, Jon	18(2):5-7	Tejedor, S.	12(1):15
Li Zhenghong	17(4):16	Texeira, M.C.F.	17(3):5-9, 17(4):1-4, 19(3):5-10
Li, Q.J.	19(3):12-14	Titus, P. W.	8(1):5-9
Lima, A.M.L.P.	15(1):4-7	Tjia, B.	19(4):13-15
Lindmark, Lisanne L.	18(4):14	Torres, A. P.	11(1):1-2
Lindstrom, A. J.	10(4):1-3, 12(1):10-11, 12(1):12-13	Torres, C. J.	19(2):8-10
Liu, Xiuxian	17(4):16	Toteraakun, T.	12(1):13-14
Liu, Q.	19(3):12-14	Uchida, J.	10(3):1-3, 11(1):9-11, 12(2):10-12
Lloyd, D.	12(2):8-9	Urrea, A. L.	9(4):16-17
Loges, Vivian	17(3):5-9, 17(4):1-4, 17(2):1-6, 18(1):1-5, 18(4):1-5, 19(3):5-10, 20(4):5-10 2(4):14	Valencia, C.	9(4):14, 9(4):16-17
Lorence, David H.	8(3/4):9-10, 9(3):5, 9(4):8-9, 10(4):6-7, 14(1):15-16, 16(2):12-15, 18(3):6-9, 20(1):6-7, 20(4):12-14	Vallejo, A.	9(4):16-17
Luijk, Peter v.	20(4):2-5	Van Stuys, M.	15(1):13-16
Ma, Hong	17(4):16	Verona, A.L.	17(2):1-6
Maciel, N.	10(1/2):12-16, 10(3):1-3, 10(4):10-13	Vigo, J. S.	11(1):1-2
Mahadatanapuk, S.	20(2):14	Waddick, J.W.	10(3):11
Marcsik, Doris	10(1/2):8-11, 20(1):1-4	Wan, Youming	17(4):16
Matagala, D.	14(1):15-16	Wang, Lin	17(4):16
Mayorga, B.	13(3/4):16	Williams, K. J.	11(1):3-9
Meon, Zainudin	20(2):1-3	Wiskham, L. D.	8(1):5-9
Ministry of Agriculture, Grenada	8(3/4):14-15		
Montgomery, Rob	20(4):11		
Mood, John D.	8(3/4):1-8, 9(4):1-8, 10(1/2):18-20, 10(1/2):20-23, 10(1/2):24-28, 10(3):13-16, 16(2):3-4, 19(2):1-8		
Mora, B.	9(4):16-17		
Moreira, S.R.	19(2):11, 20(4):5-10		
Morici, C.	8(1):12-13		
Moura, L.F.	20(4):5-10		
Muruvanda, Y. D.	18(2):9-12		
Niemi, A.	15(3):11-13		
Nogueira, L.C.	17(2):1-6, 18(1):1-5		
Ongasul, Annop	19(1):13-15		
Pakdeeviset, P.	12(1):11-12, 12(2):12-13		
Pan, Qingjie	17(4):16		
Pedersen, L. B.	10(1/2):3-6		
Pessoa, C.O.	20(4):14		
Poulsen, A. D.	10(1/2):24-28		
Prince, L. M.	11(1):3-9		
Ramos, C.	13(3/4):16		
Reshmi, C.R.	14(1):15-16, 15(3):14		
Roberts-Nkrumah, L. B.	8(1):5-9		
Rodrigues, P.H.V.	15(1):4-7		

Photo Index

This index provides the volume, issue, and page numbers of the Zingiberales species illustrated in The HSI Bulletin issues beginning in volume 9 through volume 20. The botanical names are as given in the caption or article and have not been changed as a result of new taxonomy. Hybrids and named cultivars follow species' names. Where good photos of fruits, seeds or whole plants were included, these appear under these headings, otherwise, it is the inflorescence that is represented. Where only a genus name was provided, a species designation appears last. Interspecific hybrids are listed by the first species × second species as given in the text or caption. In some of the smaller categories (e.g., foliage, plants, seeds), genera/species are not listed by family, but the genera provide the bases for the listings.

FRUITS

HELICONIACEAE

Heliconia atropurpurea	15(2):8
Heliconia	16(4):1-5

MUSACEAE

Musa acuminata	14(3):6, 16(1):7-11
Musa acuminata var. chinensis	16(3):5-16

<i>Musa aurantiaca</i>	16(3):5-16
<i>Musa balbisiana</i>	15(2):1-6, 16(1):7-11, 15(3):4-9
<i>Musa balbisiana</i> var. <i>balbisiana</i>	16(3):5-16
<i>Musa basjoo</i>	16(3):5-16
<i>Musa borneensis</i> var. <i>sabahensis</i>	14(3):6
<i>Musa campestris</i> var. <i>campestris</i>	12(1):1-9
<i>Musa campestris</i> var. <i>lawasensis</i>	12(1):1-9
<i>Musa campestris</i> var. <i>limbangensis</i>	12(1):1-9
<i>Musa campestris</i> var. <i>miriensis</i>	12(1):1-9
<i>Musa campestris</i> var. <i>sabahensis</i>	14(3):6
<i>Musa campestris</i> var. <i>sarawakensis</i>	12(1):1-9
<i>Musa chunii</i>	16(3):5-16
<i>Musa coccinea</i>	15(3):4-9, 16(3):5-16
<i>Musa exotica</i>	16(4):12-15
<i>Musa hirta</i>	14(3):6, 12(1):1-9
<i>Musa itinerans</i> var. <i>annamica</i>	16(3):5-16
<i>Musa itinerans</i> var. <i>chinensis</i>	16(3):5-16
<i>Musa itinerans</i> var. <i>itinerans</i>	16(3):5-16
<i>Musa itinerans</i> var. <i>guandongensis</i>	15(3):4-9, 15(4):1-8, 16(3):5-16
<i>Musa itinerans</i> var. <i>hainanensis</i>	16(3):5-16
<i>Musa itinerans</i> var. <i>xishuangbannaensis</i>	16(3):5-16
<i>Musa laterita</i>	11(1):12
<i>Musa lutea</i>	16(4):12-15
<i>Musa nagensis</i> var. <i>hongii</i>	16(3):5-16, 15(3):4-9
<i>Musa ornata</i>	15(2):1-6
<i>Musa paracoccinea</i>	16(3):5-16
<i>Musa rubinea</i>	14(4):13-16, 16(3):5-16
<i>Musa sanguinea</i>	16(3):5-16
<i>Musa siamensis</i>	14(4):13-16
<i>Musa velutina</i>	12(2):1-7, 15(2):1-6, 15(3):4-9
<i>Musa viridis</i>	16(4):12-15
<i>Musa</i> X <i>Cavendish</i> hybrids	16(1):7-11
<i>Musa</i> X <i>paradisiaca</i>	16(1):7-11
<i>Musa yunnanensis</i>	15(3):4-9
<i>Musa yunnanensis</i> var. <i>yongpingensis</i>	15(4):1-8, 16(3):5-16
<i>Musa yunnanensis</i> var. <i>jingdongensis</i>	16(3):5-16
<i>Musa yunnanensis</i> var. <i>yongpingensis</i>	16(3):5-16
<i>Musa yunnanensis</i> var. <i>yunnanensis</i>	16(3):5-16
<i>Musa yunnanensis</i> var. <i>caii</i>	16(3):5-16
<i>Musa</i> cultivar	15(3):4-9

ZINGIBERACEAE

<i>Aframomum</i>	9(1/2):1-4
<i>Amomum anomalum</i>	13(3/4):7-10
<i>Amomum dictyocoeum</i>	13(3/4):7-10
<i>Australimusa</i> sp.	18(1):9-13
<i>Ensete glaucum</i>	15(4):1-8
<i>Ensete lasiocarpum</i>	17(3):13-14, 16
<i>Etlingera corneri</i>	10(3):13-16
<i>Etlingera elatior</i>	14(3):4
<i>Etlingera venusta</i>	10(3):13-16
<i>Globba arracanensis</i>	16(1):14-15
<i>Hedychium longicornutum</i>	16(2):1-2
<i>Newmania</i>	18(4):12-13
<i>Plagiostachys megacarpa</i>	16(2):3-4
<i>Plagiostachys strobilifera</i>	16(1):13
<i>Plagiostachys oblanceolata</i>	16(1):13

FOLIAGE**Gingers**

<i>Boesenbergia cordata</i>	14(1):7-10
<i>Boesenbergia hutchinsoniana</i>	14(1):7-10
<i>Boesenbergia</i> sp.	14(1):7-10

<i>Camptandra parvula</i>	14(1):7-10
<i>Cardamom</i>	8(2):1-3
<i>Cornukaempferia aurantiaca</i>	1(1/2):24-28
<i>Cornukaempferia longipetiolata</i>	10(1/2):24-28
<i>Costus speciosus variegatus</i>	9(3):4
<i>Distichochlamys citrea</i>	9(4):1-8
<i>Etlingera brevilabrum</i>	3(1/2):1-5
<i>Etlingera orneri</i>	10(3):13-16
<i>Plagiostachys megacarpa</i>	16(2):3-4
<i>Plagiostachys parva</i>	16(2):3-4
<i>Sacrophyllum</i> sp.	9(1/2):24
<i>Scaphochlamys polyphylla</i>	14(1):7-10
<i>Scaphochlamys reticosa</i>	14(1):7-10
<i>Scaphochlamys</i> sp.	14(1):7-10
<i>Tamijia flagellaris</i>	14(1):7-10, 6(4):1-5
<i>Tapeinochilos ananassaered veins</i>	13(1/2):8-12
<i>Zingiber coloratum</i> (not <i>argenteum</i>)	13(3/4):7-10
<i>Zingiber kelabitianum</i>	13(1/2):1-5
<i>Zingiber pachysiphon</i>	13(1/2):1-5

HELICONIACEAE

<i>Heliconia tenebrosa</i>	13(1/2):13-16
<i>Heliconia bella</i>	14(2):13-16

INFLORESCENCES**CANNACEAE**

<i>Canna</i> 'South Pacific Scarlet'	19(4):1-2
--------------------------------------	-----------

COSTACEAE

<i>Chamaecostus subsessilis</i>	18(4):6-9
<i>Chamaecostus congestiflorus</i>	19(4):10-13
<i>Chamaecostus cuspidatus</i>	19(4):10-13
<i>Chamaecostus fusiformis</i>	19(4):10-13
<i>Chamaecostus lanceolatus</i> ssp. <i>lanceolatus</i>	18(4):6-9
	19(4):10-13
<i>Chamaecostus subsessilis</i>	19(4):10-13, 18(4):10-11
<i>Cheilocostus globosus</i> 'Orange Sherbet'	19(4):5-9
<i>Cheilocostus globosus</i> 'Peach Cobbler'	19(4):5-9
<i>Cheilocostus speciosus</i>	20(4):5-10
<i>Cheilocostus speciosus variegatus</i>	14(3):10
<i>Costus arabicus</i>	20(4):5-10
<i>Costus arabicus variegated</i>	20(4):5-10
<i>Costus barbatus</i>	17(4):11-14
<i>Costus comosus</i> var. <i>bakeri</i>	17(4):11-14, 20(4):5-10
<i>Costus curvibracteatus</i>	18(1):6-7
<i>Costus cuspidatus</i>	9(3):12
<i>Costus englerianus</i>	9(1/2):1-4
<i>Costus erythrocorone</i>	15(1):1-3
<i>Costus erythrophyllus</i> 'Grey Ghost'	19(4):5-9
<i>Costus erythrophyllus</i> 'Silver Leaf'	20(1):12-13
<i>Costus fissiligularis</i>	9(1/2):24
<i>Costus glaucus</i>	14(4):1-6
<i>Costus globosus</i>	8(3/4):1-8
<i>Costus guanaiensis</i>	14(4):1-6
<i>Costus guanaiensis</i> 'Emerald Crinkles'	19(4):5-9
<i>Costus guanaiensis</i> 'Sweet Charlotte'	20(1):12-13
<i>Costus laevis</i>	14(4):1-6
<i>Costus lasius</i>	14(4):1-6, 15(1):1-3, 20(4):5-10
<i>Costus leucanthus</i>	18(2):1-4
<i>Costus lima</i>	14(4):1-6, 18(2):1-4
<i>Costus malortieanus</i>	20(4):5-10
<i>Costus osae</i>	14(4):1-6
<i>Costus paradoxus</i>	8(3/4):1-8
<i>Costus pictus</i> 'Hieroglyphics'	19(4):5-9

<i>Costus pictus</i>	20(4):5-10	<i>Tapeinochilos recurvatum</i>	13(1/2):8-12
<i>Costus plicatus</i>	14(4):1-6	<i>Tapeinochilos versteegii</i>	10(3):4-11
<i>Costus productus</i>	20(4):5-10	HELICONIACEAE	
<i>Costus productus hybrid 'Phuket Kiss'</i>	20(2):13-14	<i>Heliconia aemygdiana</i>	20(3):10-13
<i>Costus pulverulentus</i>	14(4):1-6, 20(4):5-10	<i>Heliconia angusta</i>	12(2):8-9, 15(1):13-16, 19(10):8-11
<i>Costus pulverulentus 'Pink Lips'</i>	19(4):5-9	<i>Heliconia angusta 'Yellow Christmas'</i>	15(4):9-12
<i>Costus pulverulentus 'Purple Passion'</i>	19(4):5-9	<i>Heliconia angusta 'Red Christmas'</i>	20(1):8-11
<i>Costus ricus</i>	14(4):1-6	<i>Heliconia arrecta</i>	17(3):10-13
<i>Costus scaber</i>	14(4):1-6	<i>Heliconia atropurpurea</i>	14(1):4-6, 15(2):8
<i>Costus scaber</i>	20(4):5-10	<i>Heliconia aurea</i>	18(3):9-15
<i>Costus speciosus</i>	20(2):6-13	<i>Heliconia bella</i>	14(1):4-6, 14(2):13-16
<i>Costus spicatus</i>	16(4):1-5	<i>Heliconia bihai</i>	14(4):6-10, 17(4):7-10, 20(1):8-11
<i>Costus spicatus 'Tico Sunrise'</i>	20(1):12-13	<i>Heliconia bihai 'Abalo Brown'</i>	14(1):4-6
<i>Costus stenophylla</i>	10(4):10-13	<i>Heliconia bihai 'Yuen-Peng McNeice'</i>	14(3):9
<i>Costus stenophyllus</i>	14(4):1-6, 20(4):5-10	<i>Heliconia bihai 'Lobster Claw 1'</i>	15(1):4-7
<i>Costus villosissimus</i>	18(2):1-4	<i>Heliconia bihai 'Lobster Claw Two';</i>	15(3):10-11, 15(4):9-12
<i>Costus wilsonii</i>	18(2):1-4	<i>Heliconia bihai 'Peachy Orange'</i>	15(4):9-12
<i>Costus sp.</i>	11(1):3-9	<i>Heliconia bihai 'Red Palulu'</i>	19(1):1-4
<i>Costus 'Tico Tower'</i>	18(2):1-4	<i>Heliconia bihai 'Nappi Yellow'</i>	19(1):1-4
<i>Costus 'Mellow Yellow'</i>	18(2):1-4	<i>Heliconia bihai 'Emerald Forest'</i>	19(1):1-4
<i>Costus 'Darth Vader'</i>	19(4):5-9	<i>Heliconia bihai 'Claw #2'</i>	20(1):8-11
<i>Costus 'El Gato'</i>	19(4):5-9	<i>Heliconia bihai 'Peachy Pink'</i>	20(4):14
<i>Costus 'Edl Whiskey'</i>	19(4):5-9	<i>Heliconia bourgeana</i>	12(2):8-9
<i>Costus 'Hot Lips'</i>	19(4):5-9	<i>Heliconia brenneri</i>	16(1):1-6
<i>Costus 'Lemon Chiffon'</i>	19(4):5-9	<i>Heliconia burleana</i>	14(1):4-6
<i>Costus 'Pink Panther'</i>	19(4):5-9	<i>Heliconia burleana</i>	16(1):1-6
<i>Costus aff. laevis 'Lita Red'</i>	19(4):5-9	<i>Heliconia caribaea</i>	14(3):11-13, 14(4):6-10, 17(4):7-10
<i>Costus aff. claviger 'Morning Star'</i>	19(4):5-9	<i>Heliconia caribaea 'Purpurea'</i>	15(4):9-12
<i>Costus aff. comosus X Cliff Dweller'</i>	19(4):5-9	<i>Heliconia chartacea</i>	15(1):1-3
<i>Costus aff. curvibreateatus 'Pocosol'</i>	19(4):5-9	<i>Heliconia chartacea 'Giant Sexy Pink'</i>	13(1/2):13-16
<i>Costus aff. laevis X guanaiensis 'Carla'</i>	19(4):5-9	<i>Heliconia chartacea 'Sexy Pink'</i>	15(3):14, 15(4):9-12
<i>Costus aff. lima X ? 'Tico Tower'</i>	20(1):12-13	<i>Heliconia chrysocraspeda</i>	18(2):13-15
<i>Costus aff. osae X C. comosus 'Firebird'</i>	20(2):13-14	<i>Heliconia clinophila</i>	14(2):4-7
<i>Costus aff. pulverulentus X C. villosissimus</i>		<i>Heliconia colgantea</i>	15(3):1-3
<i>'Rancho Sunrise'</i>	19(4):5-9	<i>Heliconia collinsiana</i>	14(2):4-7
<i>Costus aff. scaber 'Twister'</i>	20(1):12-13	<i>Heliconia combinata</i>	18(2):13-15
<i>Costus aff. spiralis X C. arabicus 'Tropicals'</i>	20(1):12-13	<i>Heliconia dielsiana</i>	16(1):1-6
<i>Costus aff. villosissimus X C. wilsonii</i>		<i>Heliconia faunorum</i>	14(2):13-16, 17(1):1-5
<i>'Mellow Yellow'</i>	19(4):5-9	<i>Heliconia fragilis</i>	16(1):1-6, 18(1):6-7
<i>Costus dubius X C. aff. scaber 'Sulee Forest Kiss'</i>	20(2):13-14	<i>Heliconia gigantea</i>	17(3):10-13
<i>Costus dubius X C. aff. scaber 'Sulee Sun Kiss'</i>	20(2):13-14	<i>Heliconia griggsiana</i>	16(1):1-6, 18(1):6-7, 18(3):1-3
<i>Costus dubius X C. aff. scaber 'Sulee Honey Kiss'</i>	20(2):13-14	<i>Heliconia griggsiana 'Gold'</i>	18(2):13-15
<i>Costus dubius X C. aff. scaber 'Sulee Double Kiss'</i>	20(2):13-14	<i>Heliconia griggsiana 'Red'</i>	18(2):13-15
<i>Costus leucanthus X C. lima</i>	18(2):1-4	<i>Heliconia harlingii</i>	16(1):1-6
<i>Costus 'Sweet Charlotte X 'Belize Yellow'</i>		<i>Heliconia hirsuta</i>	18(3):9-15
<i>'Moonluster'</i>	19(4):5-9	<i>Heliconia ignescens</i>	14(1):4-6
<i>Costus 'Tropicals' X C. comosus var. bakeri</i>		<i>Heliconia impudica</i>	16(1):1-6
<i>'Southern Cross'</i>	20(1):12-13	<i>Heliconia inbricata</i>	16(2):5-8
<i>Costus villosissimus X C. pictus 'Rattler'</i>	19(4):5-9	<i>Heliconia irrasa</i>	14(1):4-6, 15(3):1-3
<i>Dimerocostus argenteus</i>	19(4):10-13	<i>Heliconia laneana var. flava (H. angusta)</i>	15(1):13-16
<i>Dimerocostus cryptocalyx</i>	19(4):10-13	<i>Heliconia lasiorachis</i>	15(1):1-3
<i>Dimerocostus strobilaceus</i>	20(4):5-10	<i>Heliconia latispatha</i>	12(2):8-9
<i>Dimerocostus strobilaceus ssp. strobilaceus</i>	19(4):10-13	<i>Heliconia latispatha 'Orange Gyro'</i>	14(2):13-16
<i>Monocostus uniflorus</i>	9(3):4, 19(4):10-13	<i>Heliconia laufao</i>	10(1/2):3-6
<i>Paracostus sp.</i>	16(4):1-5	<i>Heliconia lawrenciana 'Red Velvet'</i>	18(3):4-6
<i>Tapeinochilos ananassae</i>	8(3/4):15-17	<i>Heliconia laxa</i>	14(1):4-6
<i>Tapeinochilos beccarii</i>	10(3):4-11	<i>Heliconia lennartiana</i>	18(1):6-7
<i>Tapeinochilos brassii</i>	13(1/2):8-12	<i>Heliconia librata</i>	14(1):4-6
<i>Tapeinochilos dahlia</i>	10(3):4-11, 13(1/2):8-12	<i>Heliconia longa</i>	16(2):5-8
<i>Tapeinochilos densum</i>	13(1/2):8-12	<i>Heliconia longissima</i>	18(3):9-15
<i>Tapeinochilos hollrungii red form</i>	10(3):4-11	<i>Heliconia lophocarpa</i>	17(1):1-5
<i>Tapeinochilos hollrungii yellow form</i>	10(3):4-11	<i>Heliconia lourtegiae</i>	19(1):1-4
<i>Tapeinochilos holungii</i>	13(1/2):8-12	<i>Heliconia lozanoi</i>	18(1):6-7
<i>Tapeinochilos kalmanii</i>	10(3):4-11	<i>Heliconia maculata</i>	14(1):4-6
<i>Tapeinochilos microstrobilus</i>	10(3):4-11	<i>Heliconia magnifica</i>	14(1):4-6
<i>Tapeinochilos novabudaensis</i>	10(3):4-11	<i>Heliconia mariae</i>	14(1):1, 19(3):1-4
<i>Tapeinochilos palustris</i>	10(3):4-11	<i>Heliconia mathiasiae</i>	15(3):1-3
<i>Tapeinochilos pubescens</i>	10(3):4-11		

<i>Heliconia necrobrateata</i>	17(1):1-5	<i>Heliconia thomasi</i>	14(2):13-16
<i>Heliconia neobrateata</i>	14(1):4-6	<i>Heliconia timothei</i>	13(1/2):13-16
<i>Heliconia nigriprefixa</i>	16(1):1-6, 17(3):10-13	<i>Heliconia titanum</i>	17(3):10-13
<i>Heliconia nutans</i>	17(1):5-9	<i>Heliconia tortuosa</i>	12(2):8-9, 14(1):4-6
<i>Heliconia nutans</i> 'Yellow Twister'	14(1):4-6	<i>Heliconia trichocarpa</i>	14(2):13-16
<i>Heliconia obscurioides</i>	18(3):1-3, 16(1):1-6	<i>Heliconia vaginalis</i>	14(2):13-16, 15(3):1-3
<i>Heliconia orthotricha</i>	12(3):14-16, 13(1/2):13-16, 16(1):1-6	<i>Heliconia vellerigera</i>	17(1):5-9, 20(2):1-3
<i>Heliconia orthotricha</i> 'Candy Cane'	15(4):9-12	<i>Heliconia vellerigera</i> 'She Kong'	15(1):1-3
<i>Heliconia orthotricha</i> 'Eden Pink'	15(4):9-12	<i>Heliconia vellerigiana</i>	16(1):1-6
<i>Heliconia orthotricha</i> 'Garden of Eden'	15(4):9-12	<i>Heliconia velloziana</i>	10(4):3-4
<i>Heliconia orthotricha</i> 'Macas Pink'	15(4):9-12	<i>Heliconia velutina</i>	13(1/2):13-16, 12(3):14-16, 15(1):1-3
<i>Heliconia orthotricha</i> 'She'	15(1):1-3, 19(4):13-15	<i>Heliconia venusta</i>	14(1):4-6
<i>Heliconia paka</i>	10(1/2):3-	<i>Heliconia virginalis</i>	16(1):1-6
<i>Heliconia pardo</i>	16(1):1-6	<i>Heliconia wagneriana</i>	19(4):13-15, 20(1):8-11
<i>Heliconia pastazae</i>	16(1):1-6	<i>Heliconia willisiana</i>	16(1):1-6
<i>Heliconia peteriana</i>	16(1):1-6	<i>Heliconia wilsonii</i>	15(3):1-3
<i>Heliconia platystachys</i>	14(1):4-6, 14(2):4-7	<i>Heliconia sp. nov</i>	13(1/2):13-16
<i>Heliconia pogonantha</i> var. <i>pogonantha</i>	14(1):4-6, 14(2):4-7	<i>Heliconia sp.</i> 'Rojona'	14(1):4-6
<i>Heliconia pogonantha</i> var. <i>veraguasensis</i>	14(2):13-16	<i>Heliconia sp.</i> <i>huilnesis</i> (?)	18(3):9-15
<i>Heliconia psittacorum</i>	15(3):10-11	<i>Heliconia sp.</i> 'Incredible Orange'	15(4):9-12
<i>Heliconia psittacorum</i> 'Lady Di'	14(2):1-3, 11	<i>Heliconia sp.</i> 'Orange'	17(1):1-5
<i>Heliconia psittacorum</i> 'Andromeda'	14(2):1-3, 11	<i>Heliconia sp.</i>	19(1):1-4, 18(4):15
<i>Heliconia psittacorum</i> 'Lillian'	14(2):1-3, 11	<i>Heliconia</i> 'New Yellow Parrot'	10(3):1-3
<i>Heliconia psittacorum</i> 'St. Vincent Red'	15(3):14	<i>Heliconia</i> 'Keanae'	10(3):1-3
<i>Heliconia psittacorum</i> 'Kathy'	16(2):16	<i>Heliconia</i> 'Guadaloupe'	10(3):1-3
<i>Heliconia psittacorum</i> 'Petra'	16(2):16	<i>Heliconia</i> 'Rauliniana'	13(1/2):7, 13(3/4):6
<i>Heliconia psittacorum</i> 'Lizette'	16(2):16	<i>Heliconia</i> 'Surinam Gold'	15(2):7
<i>Heliconia psittacorum</i> 'Nickeriensis'	16(2):16	<i>Heliconia</i> 'Golden Torch'	17(2):1-6, 20(1):8-11
<i>Heliconia psittacorum</i> 'Parakeet'	19(10):8-11, 20(1):8-11	<i>Heliconia</i> 'Golden Torch Adrian'	15(3):14
<i>Heliconia ramonensis</i> var. <i>xanthotricha</i>	14(1):4-6	<i>Heliconia</i> 'Lisane's Fan'	18(4):14
<i>Heliconia rauliniana</i>	17(2):1-6	<i>Heliconia</i> 'Kuma Negro'	19(1):1-4
<i>Heliconia regalis</i>	16(1):1-6	<i>Heliconia</i> 'Saranacca Gold'	19(1):1-4
<i>Heliconia regalis</i> 'Naranja Bitaco'	17(1):5-9	<i>H. bihai</i> X <i>H. marginata</i> X <i>Rauliniana</i>	15(4):9-12
<i>Heliconia regalis</i> 'Rosada'	17(1):5-9	<i>H. bihai</i> X <i>H. marginata</i> 'Rauliniana'	18(4):1-5
<i>Heliconia reptans</i>	18(3):9-15	<i>H. bihai</i> X <i>H. rostrata</i> 'Puerto Rico Libre'	13(1/2):7, 13(3/4):6
<i>Heliconia rhodantha</i>	17(3):10-13	<i>H. bihai</i> X <i>H. caribaea</i> 'Hot Rio Nights'	15(4):9-12
<i>Heliconia robertoi</i>	18(2):13-15	<i>H. caribaea</i> hybrid 'Prince of Darkness'	12(1):15-16
<i>Heliconia robusta</i>	15(1):1-3, 17(3):4	<i>H. caribaea</i> X <i>H. bihai</i> 'Prince of Darkness'	15(1):8-9
<i>Heliconia rostrata</i> variants	13(3/4):6	<i>H. caribaea</i> X <i>H. bihai</i> "Sergio"	15(1):8-9
<i>Heliconia rostrata lanosa</i>	15(1):1-3	<i>H. caribaea</i> X <i>H. bihai</i> "Red Lightning"	15(1):8-9
<i>Heliconia rostrata</i> 'Ten Day'	15(4):9-12	<i>H. caribaea</i> X <i>H. bihai</i> 'Bubble Gum'	12(1):15-16
<i>Heliconia rostrata</i> 'Paraflora'	19(1):1-4	<i>H. caribaea</i> X <i>H. bihai</i> 'Bubblegum'	15(1):8-9
<i>Heliconia schiedeana</i>	12(2):8-9	<i>H. caribaea</i> X <i>H. bihai</i> 'Cano'	15(1):8-9
<i>Heliconia schumanniana</i>	12(3):14-16	<i>H. caribaea</i> X <i>H. bihai</i> 'Lemon Drop'	15(1):8-9
<i>Heliconia sclerotricha</i>	16(1):1-6	<i>H. caribaea</i> X <i>H. bihai</i> 'Nancy'	15(1):8-9
<i>Heliconia secunda</i>	15(3):1-3	<i>H. caribaea</i> X <i>H. bihai</i> "Jerome"	15(1):8-9
<i>Heliconia signa-hispanica</i>	18(3):9-15	<i>H. caribaea</i> X <i>H. bihai</i> 'Mindy'	15(1):8-9
<i>Heliconia solomonensis</i>	20(1):6-7	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Burgundy"	15(1):8-9
<i>Heliconia spathocircinata</i>	15(1):13-16, 16(2):5-8	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Red Lightning"	15(1):8-9
<i>Heliconia spiralis</i> var. <i>anchicaya</i>	17(3):10-13	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Deep Forest Lightning"	15(1):8-9
<i>Heliconia spiralis</i> var. <i>spiralis</i>	17(3):10-13	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Midnight Pagoda"	15(1):8-9
<i>Heliconia spissa</i> Guatemala	9(3):8-9	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Red Pagoda"	15(1):8-9
<i>Heliconia spissa</i> Mexico	9(3):8-9	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Red Rose"	15(1):8-9
<i>Heliconia standleyi</i>	12(3):14-16, 13(1/2):13-16, 15(1):1-3	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Green Glory"	15(1):8-9
<i>Heliconia stella-maris</i>	17(3):10-13	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Green-tipped White"	15(1):8-9
<i>Heliconia stilesii</i>	14(1):4-6, 15(3):1-3	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Chartreuse Pagoda"	15(1):8-9
<i>Heliconia stricta</i>	9(4):14, 13(1/2):13-16, 20(1):8-11	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Lime"	15(1):8-9
<i>Heliconia stricta</i> 'Hot Lips'	14(2):4-7	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Golden Crown"	15(1):8-9
<i>Heliconia stricta</i> 'Iris'	15(4):9-12	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Golden Crab"	15(1):8-9
<i>Heliconia stricta</i> 'Bucky'	16(2):16	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Peach"	15(1):8-9
<i>Heliconia stricta</i> 'Iris'	16(2):16	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Orange"	15(1):8-9
<i>Heliconia stricta</i> 'Dwarf Jamaica'	19(10):8-11	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Pink-tipped Gold"	15(1):8-9
<i>Heliconia stricta</i> 'Dwarf Jamaican'	20(4):2-5	<i>H. caribaea</i> X <i>H. bihai</i> "Dominica Red-tipped Gold"	15(1):8-9
<i>Heliconia subulata</i>	12(2):8-9, 20(2):15		
<i>Heliconia subulata</i> 'Thaysiana'	9(3):8-9		
<i>Heliconia subulata</i> Peru	9(3):8-9		
<i>Heliconia tenebrosa</i>	15(1):1-3		

<i>H. caribaea</i> X <i>H. bihai</i> 'Dominica Yellow'	15(1):8-9	<i>Musa itinerans</i> var. <i>lechangensis</i>	16(3):5-16
<i>H. caribaea</i> X <i>H. bihai</i> 'Porto Rico'	15(1):8-9	<i>Musa itinerans</i> var. <i>xishuangbannaensis</i>	16(3):5-16
<i>H. chartacea</i> X <i>H. platystachys</i> 'Temptress'	15(4):9-12	<i>Musa laterita</i>	11(1):12, 12(2):1-7, 14(2):8-12
<i>H. curtispatha</i> X <i>H. mariae</i> 'Crocodile'	12(2):16	<i>Musa lawitiensis</i>	14(3):6
<i>H. griggsiana</i> X <i>H. combinata</i>	20(4):1-2	<i>Musa lutea</i>	16(4):12-15
<i>H. latispatha</i> X <i>H. imbricata</i>	15(3):1-3	<i>Musa mannii</i>	12(2):1-7
<i>H. marginata</i> X <i>H. curtispatha</i>	19(3):1-4	<i>Musa monticola</i>	14(3):6
<i>H. mariae</i> X <i>H. pogonantha</i> var. <i>holerythra</i>		<i>Musa nagensis</i> var. <i>hongii</i>	16(3):5-16
'Bushmaster'	14(1):4-6	<i>Musa ornata</i>	10(4):10-13, 12(2):1-7, 14(2):8-12, 15(2):1-6, 15(3):4-9
<i>H. psittacorum</i> X <i>H. spathocircinata</i>		<i>Musa paracoccinea</i>	16(3):5-16
'Johnson Beharry V.C.'	12(2):16	<i>Musa rosea</i>	12(2):1-7, 14(2):8-12
<i>H. psittacorum</i> X <i>H. spathocircinata</i>		<i>Musa rubinea</i>	14(4):13-16, 16(3):5-16
'Lucille Gibson'	13(3/4):16	<i>Musa rubra</i>	12(2):1-7
<i>H. psittacorum</i> X <i>H. spathocircinata</i>		<i>Musa sanguinea</i>	12(2):1-7, 16(3):5-16
'New Yellow Parrot'	15(4):9-12	<i>Musa siamensis</i>	14(2):8-12, 14(4):13-16
<i>H. psittacorum</i> X <i>H. spathocircinata</i> 'Keanae'	15(4):9-12	<i>Musa uranoscopus</i>	10(4):10-13
<i>H. psittacorum</i> X <i>H. spathocircinata</i> 'Guadeloupe'	15(4):9-12	<i>Musa velutina</i>	14(2):8-12, 15(2):1-6
<i>H. ramonensis</i> var. <i>xanthotricha</i>	17(1):1-5	<i>Musa voonii</i>	14(3):6
<i>H. ramonensis</i> var. <i>xanthotricha</i> X <i>H. longa</i>	17(1):1-5	<i>Musa yunnanensis</i> var. <i>caii</i>	16(3):5-16
<i>H. rhodantha</i> X <i>H. nigraepraefixa</i>	20(4):1-2	<i>Musa yunnanensis</i> var. <i>jingdongensis</i>	16(3):5-16
		<i>Musa yunnanensis</i> var. <i>yongpingensis</i>	16(3):5-16
LOWIACEAE		<i>Musa yunnanensis</i> var. <i>yunnanensis</i>	16(3):5-16
<i>Orchidantha finbriata</i>	17(2):7-8	<i>Musa zaifui</i>	16(3):5-16
<i>Orchidantha foetida</i>	17(2):7-8	<i>Musa 'Tereza'</i>	17(2):9-16
<i>Orchidantha grandiflora</i>	17(2):7-8	<i>Musa</i> sp.	14(1):12-15
<i>Orchidantha maxillarioides</i>	17(2):7-8	<i>Musa</i> sp. Sec. <i>Callimusa</i>	15(4):1-8
<i>Orchidantha stamensis</i>	17(2):7-8	<i>Musella lasiocarpa</i>	10(1/2):1-2, 15(2):1-6
<i>Orchidantha stercorea</i>	17(2):7-8	<i>Musella lasiocarpa</i> orange-red	17(4):16
<i>Orchidantha vietnamica</i>	17(2):7-8		
MARANTACEAE		STRELITZIACEAE	
<i>Calathea carlae</i>	17(4):5-7	<i>Strelitzia reginae</i>	18(2):9-12, 19(3):11-12
<i>Calathea chiriquensis</i>	17(4):5-7	<i>Ravenala madagascariensis</i>	15(2):1-6
<i>Calathea fredgandersii</i>	17(4):5-7		
<i>Calathea lutea</i>	10(4):10-13	ZINGIBERACEAE	
<i>Calathea hybrid</i>	20(3):4-6	<i>Aframomum melegueta</i>	9(1/2):1-4
<i>Thaumatococcus Danielii</i>	9(1/2):1-4	<i>Aframomum</i> sp.	9(1/2):24
MUSACEAE		<i>Alpinia argentea</i>	9(4):1-8
<i>Ensete lasiocarpum</i>	17(3):13-14, 16	<i>Alpinia aquatica</i> (not <i>galanga</i>)	13(3/4):7-10
<i>Ensete superbum</i>	14(3):6	<i>Alpinia capitella</i> (not sp.)	13(3/4):7-10
<i>Musa acuminata</i>	16(1):7-11, 16(4):12-15	<i>Alpinia galanga</i>	15(3):11-13, 20(2):6-13
<i>Musa acuminata</i> var. <i>chinensis</i>	16(3):5-16	<i>Alpinia glabra</i>	13(3/4):7-10
<i>Musa assamica</i>	14(2):8-12	<i>Alpinia havilandii</i>	8(3/4):1-8
<i>Musa aurantiaca</i>	12(2):1-7, 16(3):5-16	<i>Alpinia latilabrus</i>	8(3/4):1-8
<i>Musa balbisiana</i>	14(3):6, 15(2):1-6, 15(4):1-8, 16(1):7-11	<i>Alpinia ligulata</i> (not <i>aquatica</i>)	13(3/4):7-10
<i>Musa balbisiana</i> var. <i>balbisiana</i>	16(3):5-16	<i>Alpinia mutica</i> (not <i>hansenii</i>)	13(3/4):7-10
<i>Musa balbisiana</i> var. <i>liukuensis</i>	16(4):12-15	<i>Alpinia ocellata</i>	14(1):2-3
<i>Musa basjoo</i>	16(3):5-16	<i>Alpinia officinarum</i>	11(1):3-9, 15(3):11-13
<i>Musa beccariana</i> var. <i>hottana</i>	14(3):6	<i>Alpinia purpurata</i>	8(1):1-4, 10(4):10-13, 13(3/4):1-6, 20(2):6-13
<i>Musa beccarii</i> var. <i>hottana</i>	14(2):8-12	<i>Alpinia purpurata</i> 'Alba'	14(1):2-3
<i>Musa campestris</i>	14(2):8-12	<i>Alpinia purpurata</i> 'Eileen McDonald'	10(4):10-13
<i>Musa campestris</i> var. <i>campestris</i>	12(1):1-9	<i>Alpinia purpurata</i> 'Red ginger'	19(3):5-9
<i>Musa campestris</i> var. <i>lawasensis</i>	12(1):1-9	<i>Alpinia purpurata</i> 'Pink Ginger'	19(3):5-9
<i>Musa campestris</i> var. <i>limbangensis</i>	12(1):1-9	<i>Alpinia purpurata</i> 'Eileen Macdonald'	19(3):5-9
<i>Musa campestris</i> var. <i>miriensis</i>	12(1):1-9	<i>Alpinia purpurata</i> 'Jungle King'	19(3):5-9
<i>Musa campestris</i> var. <i>sabahensis</i>	12(1):1-9	<i>Alpinia purpurata</i> 'Jungle Queen'	19(3):5-10
<i>Musa chunii</i>	15(3):4-9, 16(3):5-16	<i>Alpinia purpurata</i> 'Kimi'	19(3):5-10
<i>Musa coccinea</i>	10(4):10-13, 14(2):8-12, 15(2):1-6	<i>Alpinia purpurata</i> 'Georgette'	18(4):14
	16(3):5-16, 20(3):4-6	<i>Alpinia hybrid</i> Common Red	
<i>Musa hirta</i>	12(1):1-9	('Jungle King' X 'Jungle Queen')	18(4):14
<i>Musa itinerans</i> var. <i>annamica</i>	16(3):5-16	<i>Alpinia hybrid</i> 'Raspberry' X 'Darwin Sunset'	18(4):14
<i>Musa itinerans</i> var. <i>chinensis</i>	16(3):5-16	<i>Alpinia purpurata</i> various colors	14(1):2-3
<i>Musa itinerans</i> var. <i>itinerans</i>	16(3):5-16	<i>Amomum dimorphum</i>	13(3/4):7-10
<i>Musa itinerans</i> var. <i>guandongensis</i>	15(3):4-9	<i>Amomum gyrolophos</i>	16(4):1-5
<i>Musa itinerans</i> var. <i>guangdongensis</i>	16(3):5-16	<i>Amomum laxisquamosum</i>	8(3/4):1-8
<i>Musa itinerans</i> var. <i>hainanensis</i>	16(3):5-16	<i>Amomum polycarpum</i>	9(4):1-8
		<i>Amomum sceletescens</i>	8(3/4):1-8
		<i>Amomum subulatum</i>	15(3):11-13

Amomum sp.	13(3/4):7-10	Curcuma hybrids 'Fairy Wings'	20(1):1-4
Boesenbergia ameniaca	19(2):1-8	Curcuma hybrids 'Sophia'	20(1):1-4
Boesenbergia angustifolia	19(2):1-8	Curcuma hybrids 'Tip top'	20(1):1-4
Boesenbergia aurantiaca	8(3/4):1-8, 19(2):1-8	Curcuma hybrids 'Vabesi'	20(1):1-4
Boesenbergia basispicata	19(2):1-8	Curcuma hybrids 'Venita'	20(1):1-4
Boesenbergia curtisii	19(2):1-8	Curcuma alismatifolia X C. parviflora	19(1):13-15
Boesenbergia flava	19(2):1-8	Curcuma alismatifolia X C. rhabdota	19(1):13-15
Boesenbergia longiflora	9(4):1-8, 19(2):1-8	Curcuma cochinchinensis X C. petiolata	19(1):13-15
Boesenbergia longipes	19(2):1-8	Curcuma petiolata X C. alismatifolia	19(1):13-15
Boesenbergia ochroleuca	19(2):1-8	Curcuma petiolata X C. aurantiaca	19(1):13-15
Boesenbergia ogliosperma	19(2):1-8, 14(1):7-10	Curcuma rhabdota X C. alismatifolia	12(1):13-14
Boesenbergia oligosperma	16(4):1-5	Curcuma rhabdota X C. harmandii	12(1):13-14
Boesenbergia orbiculata	14(1):7-10, 16(4):1-5	Curcuma sparganifolia X C. alismatifolia alba	12(1):13-14
Boesenbergia petiolata	19(2):1-8	Curcuma sparganifolia X C. ismatifolia	12(1):13-14
Boesenbergia plicata	19(2):1-8, 19(2):14	Distichochlamys citrea	16(2):9-10
Boesenbergia plicata var. lurida	19(2):1-8	Distichochlamys rubrostriata	16(2):9-10
Boesenbergia prainiana	19(2):1-8	Eletaria cardamomum	15(3):11-13
Boesenbergia pulchella	14(1):7-10, 19(2):14	Eletaria rubida	8(3/4):1-8
Boesenbergia pulchella var. attenuata	19(2):1-8	Elettaria multiflora	9(4):1-8
Boesenbergia pulcherrima	19(2):1-8	Elettaria sp.	13(3/4):7-10
Boesenbergia rotunda	15(3):11-13, 19(2):1-8	Elettariopsis sp.	14(1):7-10
Boesenbergia siamensis	19(2):1-8	Elettariopsis cf. smithiae	9(4):1-8
Boesenbergia siphonnantha	19(2):1-8	Etlingera brachychila	16(4):1-5, 16(4):1-5
Boesenbergia teunispicata	19(2):1-8	Etlingera brachychila orange form	13(1/2):1-5
Boesenbergia xiphostachys	19(2):1-8	Etlingera brevibractea	13(1/2):1-5
Boesenbergia sp. Nov	8(3/4):1-8	Etlingera burtii or fimbriobracteata (not brachychila) yellow form	13(1/2):1-5
Burbidgea nitida	9(4):1-8	Etlingera coccinea	13(1/2):1-5, 16(4):1-5
Burbidgea pauciflora	14(1):7-10	Etlingera corneri	10(3):13-16, 17(3):1-3, 17(3):5-9
Burbidgea pubescens	8(3/4):1-8	Etlingera corrugata	10(1/2):24-28
Burbidgea schizochelia	11(1):3-9	Etlingera elatior	10(4):10-13, 13(1/2):1-5, 14(3):4, 15(2):9-10, 15(3):11-13, 17(4):1-4, 20(2):6-13
Burbidgea stenantha	8(3/4):1-8	Etlingera elatior 'Porcelain'	17(3):5-9
Caulokaempferia saxicola	11(1):3-9	Etlingera elatior 'IAC Cacheffo'	19(2):11
Cautleya gracilis	9(4):1-8	Etlingera elatior 'Bloody Mary'	19(4):3-4
Cominsia sp.	20(3):7	Etlingera elatior 'Frilly Pink'	19(4):3-4
Cornukaempferia aurantiflora	10(1/2):24-28	Etlingera elatior 'Red Torch'	19(4):3-4
Cornukaempferia longipetiolata	10(1/2):24-28	Etlingera fimbriobracteata	8(3/4):1-8, 16(4):1-5
Cornukaempferia auriantiflora	9(4):1-8	Etlingera foetens (not triorgyalis)	13(1/2):1-5
Curcuma aeruginosa	15(4):13-16	Etlingera fulgens	19(2):14
Curcuma alismatifolia	9(3):1, 15(4):13-16, 19(1):13-5	Etlingera hemispherica 'Olympic Torch'	20(1):11
Curcuma bhatii	15(4):13-16	Etlingera hemispherica 'Alba-red Tulip Ginger'	20(1):11
Curcuma caesia	15(4):13-16	Etlingera metriocheilos	15(2):9-13, 19(2):14
Curcuma candida	19(2):12-13	Etlingera mulensis	8(3/4):1-8
Curcuma elata	9(3):4	Etlingera pyramidosphaera	9(4):1-8
Curcuma longa	15(3):11-13, 20(2):6-13	Etlingera pyramidosphaera 'Red Tulip'	17(3):5-9
Curcuma mutabilis	15(4):13-16	Etlingera rubromarginata	10(1/2):24-28
Curcuma neilgherrensis	9(4):1-8	Etlingera velutina	16(4):1-5
Curcuma prakasha	15(4):13-16	Etlingera venusta	10(3):13-16, 11(1):3-9, 17(3):5-9
Curcuma pseudomontana	15(4):13-16	Etlingera aff. metriocheilos	8(3/4):1-8
Curcuma rhabdota	15(4):13-16	Gagnepainia thorellii	9(4):1-8
Curcuma roscoeana	15(4):13-16, 20(2):6-13	Geocharis filiformis	9(4):1-8
Curcuma thorellii 'Chiang Mai Snow'	9(3):4	Geocharis rubra	13(3/4):7-10
Curcuma zanthorrhiza	15(4):13-16	Globba arracanensis	16(1):14-15
Curcuma 'Laddawan'	15(4):13-16	Globba brachyanthera	14(1):7-10
Curcuma cordata	9(3):4	Globba brachychila	16(4):1-5
Curcuma longa	15(4):13-16	Globba propinqua	14(1):7-10
Curcuma zedoaria	20(2):6-13	Globba sanguinea	14(1):7-10
Curcuma hybrids 'Waterlily'	20(1):1-4	Globba winitii 'White Dragon'	9(3):1
Curcuma hybrids 'Pink Ruffle'	20(1):1-4	Globba winitii	9(4):1-8
Curcuma hybrids 'Territory Cerise'	20(1):1-4	Globba sp.	20(2):6-13
Curcuma hybrids 'Desire'	20(1):1-4	Haniffia albiflora	10(4):4-6
Curcuma hybrids 'Triumph'	20(1):1-4	Haniffia cyanescens	9(4):1-8, 10(4):4-6
Curcuma hybrids 'Valentine's Blush'	20(1):1-4	Haplochlorea magnum	14(1):7-10
Curcuma hybrids 'Bella Vista'	20(1):1-4	Haplochlorea pauciflorum	14(1):7-10
Curcuma hybrids 'Territory Splendour'	20(1):1-4	Hedychium borneense	8(3/4):1-8, 9(4):1-8, 13(3/4):7-10
Curcuma hybrids 'Whitecap'	20(1):1-4	Hedychium coccineum	9(3):12
Curcuma hybrids 'Top End Peak'	20(1):1-4		
Curcuma hybrids 'Festive'	20(1):1-4		

Hedychium coronarium	13(3/4):7-10, 20(2):6-13	Zingiber zerumbet	10(4):10-13, 14(1):10-11,
Hedychium coronarium Hitchenia glauca	11(1):3-9		14(2):7, 20(2):6-13
Hedychium longicornutum	16(2):1-2	Zingiber zerumbet (? Not officinale)	13(3/4):7-10
Hedychium tenuiflorum	19(3):12-14	Zingiber 'Milky Way'	9(3):12
Hedychium villosum	19(3):12-14		
Hornstedtia conica	3(3/4):7-10	LANDSCAPE	
Hornstedtia gracilis	8(3/4):1-8	Alpinia purpurata	20(2):1-3
Hornstedtia havilandii	13(3/4):7-10	Heliconia psittacorum	20(2):1-3
Hornstedtia incana	8(3/4):1-8	Vrieseaheliconioides	16(2):5-8
Hornstedtia leonurus	13(3/4):7-10		
Hornstedtia reticulata	13(1/2):1-5	PLANTS	
Hornstedtia pininga var borneense	13(1/2):1-5	Chamaecostus fusiformis	18(4):6-9
Hornstedtia aff. incana	9(4):1-8	Chamaecostus lanceolatus	18(4):6-9
Hornstedtia aff. reticulata	13(1/2):1-5	Cheilocostus speciosus	20(4):5-10
Kaempferia candida	19(2):12--13	Costus arabicus variegated	20(4):5-10
Kaempferia elegans	18(3):4-6	Costus comosus var bakeri	20(4):5-10
Kaempferia galanga	15(3):11-13	Costus lasius	20(4):5-10
Kaempferia laotica 'Shazam'	9(4):1-8	Costus pictus	20(4):5-10
Kaempferia rotunda	9(3):4	Costus scaber	20(4):5-10
Mantisia wengeri	11(1):3-9	Costus arabicus	20(4):5-10
Mantisia sp.	20(2):6-13	Costus malortieanus	20(4):5-10
Newmania orthostachys	18(4):12-13	Costus productus	20(4):5-10
Newmania serpens	18(4):12-13	Costus pulverulentus	20(4):5-10
Plagiostachys albiflora	16(1):12	Costus stenophyllus	20(4):5-10
Plagiostachys breviramosa	16(1):12	Dimerocostus strobilaceus	20(4):5-10
Plagiostachys crocydocalyx	13(1/2):1-5, 16(1):12	Ensete ventricosum	17(2):9-16
Plagiostachys megacarpa	16(1):13, 16(2):3-4	Heliconia stricta	9(4):14
Plagiostachys oblancoolata	16(1):13	Hornstedtia pininga var borneense	13(1/2):1-5
Plagiostachys parva	16(2):3-4	Musa campestris	14(1):12-15
Plagiostachys strobilifera	16(1):13	Musa rubinea	14(4):13-16
Plagiostachys glandulosa	13(1/2):1-5	Musa siamensis	14(4):13-16
Plagiostachys cfstrobilifera	8(3/4):1-8, 9(4):1-8	Musa zaifui	16(3):5-16
Renealmia sp.	9(1/2):24, 15(1):1-3	Musa 'FHIA 17'	17(2):9-16
Rhynchanthus beesianus	9(4):1-8	Musa 'Bitambi'	17(2):9-16
Scaphochlamys reticosa	9(4):1-8	Musa 'Makara'	17(2):9-16
Scaphochlamys biloba	16(2):9-10	Musa 'Mukazi Alanda'	17(2):9-16
Scaphochlamys kunsteri var. kunsteri	16(2):11	Ravenala madagascariensis	19(3):11-12
Scaphochlamys kunsteri var. rubra	16(2):11	Tapeinochilos palustris	13(1/2):8-12
Scaphochlamys kunsteri var. speciosa	16(2):11	Zingiber spectabile	17(3):1-3
Scaphochlamys minutiflora	16(2):9-10		
Scaphochlamys oculata	16(2):9-10	RHIZOMES	
Scaphochlamysreticosa	16(2):9-10	Alpinia galanga	15(3):11-13
Scaphochlamysrubescens aff.	11(1):3-9	Curcuma caesia	15(4):13-16
Scaphochlamys species	16(2):9-10	Curcuma longa	15(4):13-16, 15(2):14-16, 15(3):11-13
Siamanthus siliquosus	9(4):1-8, 10(1/2):24-28	Zingiber officinale	15(3):11-13
Siphonochilus decora	9(3):12		
Siphonochilus kirkii	11(1):3-9	SEEDS	
Stahlianthus involucratus	9(4):1-8	Musa aurantiaca	16(3):5-16
Tamijia flagellaris	16(4):1-5	Musa balbisiana var balbisiana	16(3):5-16
Vanoverbergia sepulchrea	9(4):1-8	Musa basjoo	16(3):5-16
Zingiber coloratum	8(3/4):1-8	Musa campestris	14(2):8-12
Zingiber griffithii (?)	13(3/4):7-10	Musa coccinea	16(3):5-16
Zingiber incomptum	13(1/2):1-5	Musa hirta	14(2):8-12
Zingiber kelabitianum	13(1/2):1-5, 16(4):1-5, 15(2):9-13	Musa laterita	14(2):8-12
Zingiber latifolium (not acuminatum)		Musa nagensis var. hongii	16(3):5-16
var. borneense)	13(3/4):7-10	Musa paracoccinea	16(3):5-16
Zingiber longipedunculatum	8(3/4):1-8	Musa yunnanensis var. yongpingensis	16(3):5-16
Zingiber martinii	13(3/4):7-10	Musa itinerans var. hainanensis	16(3):5-16
Zingiber mioga	15(3):11-13	Ravenala madagascariensis	19(3):11-12
Zingiber officiinale (not montanum)	13(3/4):7-10	Strelitzia reginae	19(3):11-12
Zingiber officiinale	15(3):11-13	Zingiber griffithii	13(3/4):7-10
Zingiber ottensii	13(3/4):7-10		
Zingiber pachysiphon	13(1/2):1-5		
Zingiber parishii	9(4):1-8		
Zingiber spectabile	10(4):10-13, 13(1/2):1-5,		
	17(4):1-4, 20(2):6-13		

People Index

Awards

Achievement award: Dr. Helen Kennedy 17(3):3

Deaths

Assi, Ake 20(1):7
 Baker, Ray 16(4):6-7
 Bar-Zvi, D. 12(3/4):ii
 Collins, Mark 17(1):16
 Donselman, Henry M. 18(1):15
 Frank, Trish 16(4):7
 Manley, H. 16(1):11
 Ramsaroop, B. 16(2):16
 Tagami, Hiroshi 20(3):14
 Wooliams, Keith 18(1):14

HSI Member Profiles

HSI member profile: Tim Chapman 20(3):9
 HSI member profile: Richard Criley 20(4):13, 15

Photos

Group photo Annual conf. 1998 9(4):20
 Group photo Annual conf. 2008 14(4):12
 Group photo 16th HSI post-tour 16(4):1-5
 Group photo 16th HSI pre-tour 16(3):1-4
 Group photo 18th HSI Annual conf. 20(3):4-6
 Group photo 5th Intl. Symp. Zingiberaceae 15(3):16
 Aiona, K. 13(3/4):11-15
 Baker, J. 16(3):1-4
 Baker, Ray 16(3):1-4, 16(4):6
 Bass, C. 14(3):12
 Black, Carla 14(1):4-6, 15(1):1-3, 17(3):insert, 20(3):9
 Black, Willis 16(4):8
 Buddenhagen, I. 15(4):1-8
 Caratini, H.M. 15(1):1-3
 Carle, A. 9(4):15
 Chapman, Timothy 20(3):9
 Chen, Houbin 14(3):3, 15(3):4-9
 Collins, Mark 9(1/2):1-4, 9(4):15, 17(1):16
 Criley, R.A. 20(3):8, 20(4):13
 Daniels, Gil 8(3/4):19-20, 16(4):8
 Donselman, Henry M. 18(1):15
 Dunstan, Bruce 14(2):13-16, 16(1):1-6, 17(3):insert
 Filrang, R. 15(2):14-16,
 Flores, N. 8(3/4):21
 Frank, Trish 12(1):9-10, 16(4):7
 Friedrich, M. 12(1):9-10
 Ge, Xue-Jun 15(3):4-9

Gisil, Johnny 14(3):3
 Guttman, E. 8(3/4):21
 Hakkinen, Markku 14(3):4, 15(3):4-9, 16(4):12-15
 Hambali, Greg 20(3):1-3
 Hoe, Voon Boon 14(3):3, 16(4):1-5
 Hong, Wang 15(3):4-9, 15(4):1-8
 Jenjittikul, Thaya 19(2):12-13
 Jerome, R. 14(1):4-6
 Kalu, Maekiong 14(3):3
 Kennedy, Helen 8(3/4):19-20, 17(3):3
 Kepler, Angela Kay 13(3/4):11-15, 18(2):5-7
 Kress, W. John 9(4):15, 16(4):8
 Lankford, B. 8(3/4):21
 Lee, Chi'en 16(4):1-5
 Lee, Victor 8(3/4):19-20, 16(3):1-4, 16(4):8
 Leong-Skornickova, Jana 15(4):16
 Lindstrom, Anders 16(4):11
 Loges, Vivian 20(3):4-6
 Lorence, David 16(4):1-5
 Manley, H. 16(1):11
 Margraf, J. 15(2):1-6
 Marques, J. 8(3/4):21
 Menendez, S. 14(1):4-6
 Musa, M. 16(3):1-4
 Newman, Mark.F. 18(4):12-13
 Orr, David 16(4):6
 Rabbar, Dennis 14(3):3
 Ramsaroop, B. 16(2):16
 Read, Joan 16(3):1-4
 Rodriguez, A. 16(1):1-6
 Rust, Frank 13(3/4):11-15, 18(2):5-7
 Sachter-Smith, Gabriel 17(1):11-15, 18(1):9-13
 Secola, C. 8(3/4):21
 Skinner, Dave 15(1):1-3
 Sterkel, R. 8(3/4):19-20
 Sufa'a, Willie 18(1):9-13
 Tagami, Hiroshi 20(3):14
 Tamasia, Dorothy 18(1):9-13
 Tan, Kiat 16(3):1-4
 Techaprasan, J. 19(2):12-13
 Thoeon, Bruno 20(3):8
 Wooliams, Keith 18(1):14



Strelitzia reginae 'Mandela's Gold'

HSI Bulletin advertising guidelines:

- * Ads will run on an annual (4 issue) basis, starting at any time of year.
- * Rates: 1/16th page costs \$40 per year, 1/8th page is \$80, 1/4 page is \$160, and 1/2 page is \$320 per year.
- * Ads should be prepared in digital format, and can be full color.
- * Ads can be placed by non-members, though membership in HSI is encouraged.
- * The editors reserve the right to refuse any advertising, based either on content or on space availability.
- * Send advertising content in prepared format to:
 Dr. Richard Criley, <criley@hawaii.edu>



In this issue:

This is the index issue, volumes 9 through 20. It is a very useful reference. It is also very boring reading.

1. Article Index

7. Author Index

8. Photo Index

15. People Index

Image at right is
Zingiber spectabile,
at far right *Ravenala*
fruit and seeds



HSI Headquarters
Dr. David H. Lorence
National Tropical Botanical Garden
3530 Papalina Road
Kalaheo, Hawaii 96741 USA

HELICONIA
SOCIETY
INTERNATIONAL



Postage here

Addressee label here